




**SAMSUNG LFD Professional LCD Monitor**

ทุกรุ่นรับประกัน 1 ปี







MODEL	PRODUCT DESCRIPTION
<p><b>Samsung LFD ED Series</b>                      ED32C - 32"    ED55C - 55"                      ED40C - 40"    ED65C - 65"                      ED46C - 46"    ED75C - 75"</p>  <p>SRP : Call</p>	<p><b>Display</b> * Direct-LED Backlight  <b>Native Resolution</b> * 1366 x 768 (16:9) - 32"                      * 1920 x 1080 (16:9) - 40", 46", 55", 65", 75"  <b>Brightness (Max)</b> * 330 nits (32"), 350 nits (40", 46", 55"), 330 nits (65", 75")  <b>Contrast Ratio</b> * 4000:1 (32", 65", 75") and 5000:1 (40", 46", 55")  <b>Input</b> * VGA (D-Sub 15-pin), HDMI, Stereo Mini Jack, RS232C (thru Stereo Jack)  <b>Output</b> * Stereo Mini Jack, RS232C (thru Stereo Jack)  <b>External Control</b> * RS232C (in/out) (thru Stereo Jack)  <b>Power Supply</b> * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz  <b>Special Feature</b> * Built-in Speaker (10W + 10W), PIP/PBP, Narrow Beze, Landscape / Portrait  <b>Included</b> * Quick Setup Guide, Warranty Card, D-Sub Cable, Power Cord, Remote Controller, Batteries  <b>Warranty</b> * 3 Years</p>
<p><b>Samsung LFD MD Series</b>                      MD32C - 32"    MD55C - 55"                      MD40C - 40"    MD65C - 65"                      MD46C - 46"</p>  <p>SRP : Call</p>	<p><b>Display</b> * LED BLU  <b>Native Resolution</b> * 1920x1080 (16:9)  <b>Brightness (Max)</b> * 350 nits (32", 40", 46", 55") and 450 nits (65")  <b>Contrast Ratio</b> * 5000:1 (32", 40", 46", 55") and 4000:1 (65")  <b>Input</b> * Analog D-SUB, DVI-D, HDMI, Component (CVBS Common), Stereo mini Jack  <b>Output</b> * Stereo mini Jack  <b>External Control</b> * RS232C(in/out) thru stereo jack, RJ45  <b>Power Supply</b> * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz  <b>Special Feature</b> * Magic Clone (to USB), Auto Source Switching &amp; Recovery, RS232C / RJ45 MDC, Plug and Play (DDC2B), PIP / PBP, Video Wall (10 x 10), Pivot Display, Image Rotation, Button Lock, Smart Scheduling  <b>Included</b> * Quick Setup Guide, Warranty Card, Application CD, D-Sub cable, Power Cord, Remote Controller, Batteries  <b>Warranty</b> * 3 Years</p>
<p><b>Samsung LFD ME Series</b>                      ME32C - 32"    ME55C - 55"                      ME40C - 40"    ME65C - 75"                      ME46C - 46"    ME95C - 95"</p>  <p>SRP : Call</p>	<p><b>Display</b> * e-LED BLU  <b>Native Resolution</b> * 1920x1080 (16:9)  <b>Brightness (Max)</b> * 450 nits  <b>Contrast Ratio</b> * 5000:1 Contrast ratio  <b>Input</b> * Analog D-SUB, DVI-D, Display Port 1.2, HDMI1, HDMI2, Component(CVBS Common), Stereo mini Jack  <b>Output</b> * Stereo mini Jack, DP1.2(Loop-out)  <b>External Control</b> * RS232C(in/out) thru stereo jack, RJ45  <b>External Sensor</b> * IR, Ambient Light  <b>Power Supply</b> * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz  <b>Special Feature</b> * Magic Clone(to USB), Auto Source Switching &amp; Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain (Supporting 2x2 UHD Resolution, HDCP Support), Built In MagicInfo(Lite, Premium-S, Videowall-S)  <b>Included</b> * Quick Setup Guide, Warranty Card, Application CD, D-Sub cable, Power Cord, Remote Controller, Batteries  <b>Warranty</b> * 3 Years</p>

LED TV & SMART TV

**SAMSUNG LFD Professional LCD Monitor**

ทุกชุดรับประกัน 1 ปี





MODEL	PRODUCT DESCRIPTION
<p><b>Samsung LFD DE Series</b>                      DE40C - 40"                      DE46C - 46"                      DE55C - 55"</p>  <p>SRP : Call</p>	<p><b>Display</b> * 60Hz led BIU  <b>Native Resolution</b> * 1920x1080 (16:9)  <b>Brightness (Max)</b> * 700 nits  <b>Contrast Ratio</b> * 4000:1 Contrast Ratio  <b>Input</b> * D-Sub, DVI-D, Display Port (1.2), Component (CVBS common), HDMI, Stereo mini Jack  <b>Output</b> * Stereo mini Jack, DP1.2 (Loop-out)  <b>External Control</b> * RS-232C (In/Out) thru Stereo Jack, RJ-45  <b>Power Supply</b> * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz  <b>Special Feature</b> * Anit Reflection, Non Glossy Design, Built in MagicInfo Lite, * Built in Speaker (10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm) Video Wall(10x10)  <b>Included</b> * Quick Setup Guide, Warranty Card, D-Sub Cable, Power Cord, Remote Controller, Batteries  <b>Warranty</b> * 3 Years</p>
<p><b>Samsung LFD LE Series</b>                      LE32C - 32"                      LE46C - 46"                      LE55C - 55"</p>  <p>SRP : Call</p>	<p><b>Display</b> * LED BLU  <b>Native Resolution</b> * 1920x1080 (16:9)  <b>Brightness (Max)</b> * 350 nits (32") and 700 nits (46", 55")  <b>Contrast Ratio</b> * 3000:1 (32") and 4000:1 (46", 55")  <b>Input</b> * Analog D-SUB, DVI, HDMI 1, HDMI 2, CVBS Component (D-sub 15pin), Stereo mini Jack  <b>Output</b> * Stereo mini Jack  <b>External Control</b> * RS232C (in/out) thru stereo jack  <b>Power Supply</b> * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz  <b>Special Feature</b> * Built in Speaker(10W + 10W), PIP/PBP, Narrow Bezel, Light Weight  <b>Included</b> * Quick Setup Guide, Warranty Card, Application CD, D-Sub cable, Power Cord, Remote Controller, Batteries  <b>Warranty</b> * 3 Years</p>
<p><b>Samsung LFD PE Series</b>                      PE40C - 40"                      PE46C - 46"                      PE55C - 55"</p>  <p>SRP : Call</p>	<p><b>Display</b> * LED BLU - Premium 24/7  <b>Native Resolution</b> * 1920x1080 (16:9)  <b>Brightness (Max)</b> * 700 nits  <b>Contrast Ratio</b> * 4000:1 Contrast ratio  <b>Input</b> * D-Sub, DVI-D, Display Port(1.2), Component (CVBS common), HDMI, Stereo mini Jack  <b>Output</b> * Stereo mini Jack, DP1.2(Loop-out)  <b>External Control</b> * RS232C (in/out) thru stereo jack, RJ45  <b>Special Feature</b> * Anit Reflection, Non Glossy Design, Magic Clone (to USB), Auto Source Switching &amp; Recovery, Built in Speaker, Image Rotation, (10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm) Video Wall(10x10), Built In MagicInfo (Lite, Premium-S, Videowall-S)  <b>Included</b> * Quick Setup Guide, Warranty Card, Application CD, Power Cord, D-Sub cable, Remote Controller, Batteries  <b>Warranty</b> * 3 Years</p>
<p><b>Samsung LFD UE Series</b>                      UE46C - 46"                      UE55C - 55"</p>  <p>SRP : Call</p>	<p><b>Display</b> * e-LED BLU - Video Wall  <b>Native Resolution</b> * 1920x1080 (16:9)  <b>Brightness (Max)</b> * 500 nits  <b>Contrast Ratio</b> * 5000:1 Contrast Ratio  <b>Input</b> * Analog D-SUB, DVI-D, Display Port 1.2, HDMI1, HDMI2, Component (CVBS Common) Stereo mini Jack  <b>Output</b> * Stereo mini Jack, DP1.2(Loop-out)  <b>External Control</b> * RS232C(in/out) thru stereo jack, RJ45  <b>Power Supply</b> * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz  <b>Special Feature</b> * LED Slim Video wall, ACM Support (Advanced Color Management), Magic Clone(to USB), Auto Source Switching &amp; Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B)  <b>Included</b> * PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain (Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping) Built In MagicInfo (Lite, Premium-S, Videowall-S)  <b>Warranty</b> * 3 Years</p>

LED TV & SMART TV

**SAMSUNG LFD Professional LCD Monitor**

ทุกชุดรับประกัน 1 ปี



MODEL	PRODUCT DESCRIPTION
<p><b>Samsung LFD UD Series</b>                      UD46B-C - 46"                      UD46C - 46"                      UD55C - 55"</p>  <p>SRP : Call</p>	<p><b>Display</b> * D-LED DID - Video Wall 24/7                      * 1920x1080 (16:9)  <b>Native Resolution</b>  <b>Brightness (Max)</b> * 450 nits (UC46B-C) and max 700 nits (UC46C, UC55C)  <b>Contrast Ratio</b> * 3500:1 contrast ratio  <b>Input</b> * Analog D-SUB, DVI-D, HDMI1,HDMI2, Component, CVBS, Stereo mini Jack  <b>Output</b> * Stereo mini Jack, DVI-D (Loop-out)  <b>External Control</b> * RS232C(in/out), RJ45  <b>Power Supply</b> * AC 100 - 240 V~ (+/- 10 %), 50/60 Hz  <b>Special Feature</b> * Auto Source Switching &amp; Recovery, Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, DVI Digital Daisy Chain, Smart Scheduling, Smart F/W update, Clock Battery  <b>Warranty</b> * 3 Years</p>
<p><b>Samsung LFD Outdoor</b>                      OL46B - 46"</p>  <p>SRP : Call</p>	<p><b>Display</b> * S-PVA(E-DID)                      * 1920x1080 (16:9)  <b>Native Resolution</b>  <b>Brightness (Max)</b> * 1500 cd/m2  <b>Contrast Ratio</b> * 4,000:1 Contrast ratio  <b>Input</b> * Analog D-SUB, DVI-D, Display Port, CVBS, HDMI1,HDMI2, Component(D-sub 15pin), RCA(L/R) , Stereo mini Jack  <b>Output</b> * Stereo mini Jack  <b>External Control</b> * RJ45, RS232C(in/out)  <b>Special Feature</b> * Air Conditioning Guide, Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Pivot Display, Button Lock, Smart Scheduling, Smart F/W update  <b>Warranty</b> * 3 Years</p>

LED TV & SMART TV

318

**Samsung LFD Options**



Option	Model Code	Product
<b>Wall Mount</b>	WMN22UDPD WMTL4001D WMN460UTD WMN5770D WMN7070D WMN8270D WMN4270SD  WMN4070SD WMN4655MD WMN4675MD (NEW) WMN22UDPD WMN250MD CML400D CML450D  STN-L32D STN-L65D STN-L75D STN-L75E (NEW) STN-L4055AD  STN-SF40	UD22B 320MX-3, 320TSn-3 460UT-2, UT-B 400/460MX-3, 400/460/550DX-3, 460UX-3, 400/460TS-3, PDP64 700DX-2, 700TSn-2, 650TS-2 (Landscape only) 820DXn-2, 820TSn-2 ME46, ME55, UE46, UE55, DE46, DE55, PE46, PE55, MD46, MD55, LE46, LE55, HD46, HD55, ED46, ED55 ME32, ME40, DE40, PE40, MD32, MD40, ED32, ED40, LE32, HD32, HD40 UE46A, UE55A, UD46A, UD55A, ME65B, ME75B(Landscape Only) UE46, UE55, UD46, UD55, ME65, ME75, ED65, ED75 (including of overlay touch) UD22B ME40A, ME46A, ME55A, ME32B, ME40B, ME46B, ME55B, DE40C, DE46C, DE55C ME32, ME40, DE40, MD32, MD40, ED32, ED40, LE32, HD32, HD40 ME46, ME55, ME65, ME75, UE46, UE55, DE46, DE55, MD46, MD55, LE46, LE55, ED46, ED55, ED65, ED75, HD46 320MX-3, 320TSn-3, ED32, ED40, MD32, MD40, ME32, DE40, PE40, LE32 650MX, 650TS ME75B ED75C ME40, ME46, ME55, ME65, UE46, UE55, DE46, DE55, PE46, PE55, LE46, LE55, MD46, MD55, ED46, ED55, ED65 SUR40
<b>Welcome B'd</b>	STN-520WE  MID40/EN MID40-UX3 MID-UX40MB MID46-UX3 MID-UX46MB MID462-UT2 MID462DS MID462MB MID4046K MID462K MID-UD46MB MID-UD46FS MID-UD55MB MID-UD55FS	400/460MX-3, 400/460/550DX-3, 400/460UX-3, 400/460TS-3, LFD LED (32"-65", without PIM, SBBA) 400UXn series 400UX-3 400UX-3 460UX-3 460UX-3 460UT-2, UT-B 460UT-2, UT-B 460UT-2, UT-B 400/460UX series 460UT-2, UD55A, UD46A UD46A UD46A UD55A UD55A
<b>Overlay Protection Glass</b>	CY-PG32LBC CY-PG40LBC CY-PG46LBC CY-PG55LBC	ME32A, ME32B ME40A, ME40B, DE40A ME46A, ME46B, DE46A ME55, DE55A
<b>Overlay Protection Glass + Touch for 12</b>	CY-TM32LBC CY-TM40LBC CY-TM46LBC CY-TM55LBC CY-TM65LBC CY-TM75LBC	ME32B ME40B ME46B ME55B ME65B ME75B, ME75C
<b>Overlay Protection Glass + Touch for 13</b>	CY-TM32LCA (NEW) CY-TM40LCA (NEW) CY-TM46LCA (NEW) CY-TM55LCC (NEW) CY-TE65LCC (NEW) CY-TE75LCC (NEW)	ME32B, ME32C ME40B, ME40C ME46B, ME46C ME55B, ME55C MD65C, ED65C ED75C
<b>SIRCH</b>	CY-HDS01A	HD all Line up
<b>HD Simple Remote Controller</b>	CY-HDR1110A/ZA (NEW) CY-HDR1110A (NEW)	North America HD World Wide HD (Except North America models)
<b>HD External Clock</b>	CY-HDCB01 (NEW)	EU, CIS, MEA (except Saudi), ASIA, China, Hong Kong 670, 675 models
<b>Magic IWB</b>	CY-MIWB	ME + Touch Overlay
<b>External Brightness &amp; IR Sensor</b>	CY-EBIS CY-EBISA	400UX-3, 460UX-3, 460UT-2, 460UT-B ME40A, ME46A, ME55A, DE40A, DE46A, DE55A, UE46A, UE55A, UD22B, UD46A, UD55A
<b>Set Back Box</b>	SBB-D16AX2  SBB-D32AX2  SBB-D32AV2 SBB-Q16AX4 SBB-Q32AX4  SBB-Q32AV4 SBB-SMDFAD SBB-SMDTBD SBB-PD32BV2 SBB-PQ32BV4 SBB-PQ28BP4	SIM/SBB Type for New LED Model) / CPU Dual, SSD 16G, DDR 2G → New model "C" series for LFD "C" Series SIM/SBB Type for New LED Model / CPU Dual, SSD 32G, DDR 2G → New model "C" series for LFD "C" Series Dual/32G/2G/Win7e (W05 production) → New model "C" series for LFD "C" Series SIM/SBB Type for New LED Model / CPU Quad, SSD 16G, DDR 4G SIM/SBB Type for New LED Model / CPU Quad, SSD 32G, DDR 4G → New model "C" series for LFD "C" Series Quad/32G/4G/Win7e (W05 production) → New model "C" series for LFD "C" Series Memory 2G / SSD 32GB, 32G/2G/Win7e (W02 production) 64G/2G, USD450 is promotion price. MP: W31( 32GB SSD, 2GB DDR3 SO DIMM X1) MP: W31( 32GB SSD, 4GB DDR3 SO DIMM X1) MP: W31( 128GB SSD, 4GB DDR3 SO DIMM X1)

LED TV & SMART TV

**SAMSUNG SMART SIGNAGE TV**



Model	LH40RMDWLGW/XT	LH48RMDWLGW/XT
Panel Size	40"	48"
Display	Direct LED	Direct LED
Native Resolution	1920 x 1080	1920 x 1080
Brightness (Max)	350 nit	350 nit
Input	HDMI, Composite, USB, RS232Cin, Audio Out, Coax	HDMI, Composite, USB, RS232Cin, Audio Out, Coax
Storage	256 Mb	256 Mb
TV Tuner	Yes, DVBT2	Yes, DVBT2
Special Feature	Built-in WiFi and AP, MagicInfo Express	Built-in WiFi and AP, MagicInfo Express
Warranty	3 Years onsite	3 Years onsite
Included Accessories	TV Stand, Min wall mount kit	TV Stand, Min wall mount kit
SRP (inc.vat)	19,900.-	25,900.-

“ A NEW TYPE OF PRODUCT DESIGNED FOR SMALL SHOP OWNERS TO COMMUNICATE VARIOUS IN-STORE PROMOTIONS AND BUSINESS CONTENTS WHILE ENTERTAINING WITH LIVE TV AT THE SAME TIME. ”

**USAGES**

**Live TV**

- Entertain customers

**Digital signage**

- Create and schedule business contents
- Promote premium products
- Modernize shopping experience

**TURN YOUR BUSINESS ON WITH THE NEW SMART SIGNAGE TV**

# Entertain Customers & Promote Your Business

You want to make your customers happy when visiting your business and may have considered hanging a TV to entertain them. But a traditional TV is not built for the heavy demands of full-time business use. And it doesn't take advantage of turning TV viewing into a selling opportunity.

You need a TV that works as hard as you do – doing double duty entertaining customers and promoting your products and services. The new SMART Signage TV is built from the ground up for smart businesses that want to entertain customers and promote the business.



**TV + Digital Signage in One Display**

The SMART Signage TV comes with everything you need to entertain, inform and promote. Display live TV programming on one part of the screen while showcasing your promotions on other parts.



**Easy to Use**

With over 150+ pre-built design templates, you can create professional promotions with text, images and videos. Use a computer or smartphone to quickly create and change content and upload with the built-in WiFi.







**Commercial-Grade Performance and Reliability**

The SMART Signage TV components are designed to operate 16 hours a day, 7 days a week. And it's backed by a three year commercial use warranty.

**Philips Smart TV**



MODEL	PRODUCT DESCRIPTION
<p><b>4110 series</b> PHL-24PHA4110S/98</p>  <p><b>SRP : 4,990.-</b> (inc.Vat)</p>	<p><b>Description</b> PHILIPS LED TV - Analog  <b>Panel Size</b> 24 นิ้ว  <b>Aspect Ratio</b> 16:9  <b>Picture Processing</b> Digital Crystal Clear 100 Hz PMR  <b>Resolution</b> 1366 x 768  <b>Brightness</b> 240  <b>Viewing Angle</b> 176(H)/176(V)  <b>Ambilight</b> ไม่มี  <b>Sound Output</b> 2x 4วัตต์, Incredible Surround  <b>Connectivity, In</b> 1xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 1xUSB  <b>Other Features</b> ช่องต่อ PC-in VGA สำหรับการใช้ต่อเป็นมอดิเตอร์ PC  <b>TUNER</b> อนาล็อก  <b>Dimension</b> 550 x 156 x 360  <b>Weight</b> 2.5 กก.</p>
<p><b>5210 series</b> PHL-32PHT5210S/98</p>  <p><b>SRP : 7,990.-</b> (inc.Vat)</p>	<p><b>Description</b> PHILIPS LED TV - DVB-T2  <b>Panel Size</b> 32 นิ้ว  <b>Aspect Ratio</b> 16:9  <b>Picture Processing</b> Digital Crystal Clear 100 Hz PMR  <b>Resolution</b> 1366 x 768  <b>Brightness</b> 240  <b>Viewing Angle</b> 176(H)/176(V)  <b>Ambilight</b> ไม่มี  <b>Sound Output</b> 2x 8วัตต์, Incredible Surround  <b>Connectivity, In</b> 3xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 1xUSB  <b>Other Features</b> ช่องต่อ PC-in VGA สำหรับการใช้ต่อเป็นมอดิเตอร์ PC  <b>TUNER</b> ดิจิตอลทีวี: DVB-T/T2  <b>Dimension</b> 737 x 210 x 483  <b>Weight</b> 6.5 กก.</p>
<p><b>5100 series</b> PHL-40PFT5100S/98</p>  <p><b>SRP : 12,990.-</b> (inc.Vat)</p>	<p><b>Description</b> PHILIPS LED TV - DVB-T2  <b>Panel Size</b> 40 นิ้ว  <b>Aspect Ratio</b> 16:9  <b>Picture Processing</b> Digital Crystal Clear 100 Hz PMR  <b>Resolution</b> 1920 x 1080  <b>Brightness</b> 280  <b>Viewing Angle</b> 176(H)/176(V)  <b>Ambilight</b> ไม่มี  <b>Sound Output</b> 2x 8วัตต์, ระบบปรับความดังเสียงอัตโนมัติ(AVL), Incredible Surround  <b>Connectivity, In</b> 3xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 1xUSB  <b>Other Features</b> ช่องต่อ PC-in VGA สำหรับการใช้ต่อเป็นมอดิเตอร์ PC  <b>TUNER</b> ดิจิตอลทีวี: DVB-T/T2  <b>Dimension</b> 918 x 257 x 570  <b>Weight</b> 9.1 กก.</p>
<p><b>5100 series</b> PHL-50PFT5100S/98</p>  <p><b>SRP : 18,990.-</b> (inc.Vat)</p>	<p><b>Description</b> PHILIPS LED TV - DVB-T2  <b>Panel Size</b> 50 นิ้ว  <b>Aspect Ratio</b> 16:9  <b>Picture Processing</b> Digital Crystal Clear 100 Hz PMR  <b>Resolution</b> 1920 x 1080  <b>Brightness</b> 280  <b>Viewing Angle</b> 176(H)/176(V)  <b>Ambilight</b> ไม่มี  <b>Sound Output</b> 2x 8วัตต์, ระบบปรับความดังเสียงอัตโนมัติ(AVL), Incredible Surround  <b>Connectivity, In</b> 3xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 1xUSB  <b>Other Features</b> ช่องต่อ PC-in VGA สำหรับการใช้ต่อเป็นมอดิเตอร์ PC  <b>TUNER</b> ดิจิตอลทีวี: DVB-T/T2  <b>Dimension</b> 1124 x 256 x 687  <b>Weight</b> 13.7 กก.</p>




LED TV & SMART TV

321

**Philips Smart TV**

**1 year Warranty**



MODEL	PRODUCT DESCRIPTION
<p><b>5100 series</b> PHL-55PFT5100S/98</p>  <p><b>SRP : 23,990.- (inc.Vat)</b></p>	<p><b>Description</b> PHILIPS LED TV - DVB-T2  <b>Panel Size</b> 55 นิ้ว  <b>Aspect Ratio</b> 16:9  <b>Picture Processing</b> Digital Crystal Clear 100 Hz PMR  <b>Resolution</b> 1920 x 1080  <b>Brightness</b> 350  <b>Viewing Angle</b> 176(H)/176(V)  <b>Ambilight</b> ไม่มี  <b>Sound Output</b> 2x 8วัตต์, ระบบปรับความดังเสียงอัตโนมัติ(AVL), Incredible Surround  <b>Connectivity, In</b> 3xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 1xUSB  <b>Other Features</b> ช่องต่อ PC-in VGA สำหรับการเชื่อมต่อเป็นมอดิเตอร์ PC  <b>TUNER</b> ดิจิตอลทีวี: DVB-T/T2  <b>Dimension</b> 1239 x 256 x 752  <b>Weight</b> 16.1 กก.</p>
<p><b>5109 series</b> PHL-40PFT5109S/98</p>  <p><b>SRP : 12,990.- (inc.Vat)</b></p>	<p><b>Description</b> PHILIPS LED TV - DVB-T2  <b>Panel Size</b> 40 นิ้ว  <b>Aspect Ratio</b> 16:9  <b>Picture Processing</b> Digital Crystal Clear 100 Hz PMR  <b>Resolution</b> 1920 x 1080  <b>Brightness</b> 300  <b>Viewing Angle</b> 176(H)/176(V)  <b>Ambilight</b> ไม่มี  <b>Sound Output</b> 2x 10วัตต์, ระบบปรับความดังเสียงอัตโนมัติ(AVL), Virtual Surround  <b>Connectivity, In</b> 3xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 1xUSB, IEC75, 1xPC-in VGA  <b>Other Features</b> ช่องต่อ PC-in VGA สำหรับการเชื่อมต่อเป็นมอดิเตอร์ PC  <b>TUNER</b> ดิจิตอลทีวี: DVB-T/T2  <b>Dimension</b> 904 x 302 x 610  <b>Weight</b> 9.5 กก.</p>
<p><b>5109 series</b> PHL-32PHT5109S/98</p>  <p><b>SRP : 7,990.- (inc.Vat)</b></p>	<p><b>Description</b> PHILIPS LED TV - DVB-T2  <b>Panel Size</b> 32 นิ้ว  <b>Aspect Ratio</b> 16:9  <b>Picture Processing</b> Digital Crystal Clear 100 Hz PMR  <b>Resolution</b> 1366 x 768  <b>Brightness</b> 300  <b>Viewing Angle</b> 176(H)/176(V)  <b>Ambilight</b> ไม่มี  <b>Sound Output</b> 2x 10วัตต์, ระบบปรับความดังเสียงอัตโนมัติ(AVL), Virtual Surround  <b>Connectivity, In</b> 3xHDMI, Composite/Component Video CVBS/ Y Pb Pr 1xInput, 1xUSB, IEC75, 1xPC-in VGA  <b>Other Features</b> ช่องต่อ PC-in VGA สำหรับการเชื่อมต่อเป็นมอดิเตอร์ PC  <b>TUNER</b> ดิจิตอลทีวี: DVB-T/T2  <b>Dimension</b> 727x186x484  <b>Weight</b> 5.8 กก.</p>

LED TV & SMART TV

322