

SAMSUNG LED Monitor



เงื่อนไขการรับประกันจอเป็นจุดของ **SAMSUNG LCD** ทุกรุ่น รับเคลมเฉพาะกรณีสินค้า LCD ที่มีจุดตั้งแต่ 4 จุดขึ้นไป (ไม่เกิน 30 วันหลังจากซื้อสินค้า)

3 Years Warranty



LS22F350FHEXXT
SSG-LS22F350FHEXXT



LS24F350FHEXXT
SSG-LS24F350FHEXXT



LS24D332HSX/XT
SSG-LS24D332HSX/XT

Size	21.5" Flat	23.5" Flat (60Hz)	23.5" Flat (75Hz)
Brightness	200cd/m2	200cd/m2	250cd/m2
Contrast	1000:1 (Typ.)	1000:1 (Typ.)	1000:1 (Typ.)
Response Time	5ms	5ms	1ms
Resolution	1920 x 1080 (Full HD)	1920 x 1080	1920 x 1080 (Full HD)
Connector	D-sub (VGA), HDMI	D-Sub x1, HDMI x1	D-sub (VGA), HDMI
SRP (inc.VAT)	2,990.-	3,990.-	3,690.-



LS27F350FHEXXT
SSG-LS27F350FHEXXT



LC24F390FHEXXT
SSG-LC24F390FHEXXT



LC27F397FHEXXT
SSG-LC27F397FHEXXT

Size	27" Flat	24" Curved	27" Curved
Brightness	250cd/m2	250cd/m2	250cd/m2
Contrast	1000:1 (Typ.)	3000:1 (Typ.)	3000:1 (Typ.)
Response Time	4ms	4ms	4ms
Resolution	1920 x 1080 (Full HD)	1920 x 1080 (Full HD)	1920 x 1080 (Full HD)
Connector	D-sub (VGA), HDMI	D-sub (VGA), HDMI, Head phone	Display port, HDMI, Head phone
SRP (inc.VAT)	6,490.-	4,390.-	6,990.-



LC32F397FWEXXT
SSG-LC32F397FWEXXT



LC34F791WQEXXT
SSG-LC34F791WQEXXT



LC24FG73FQEXXT
SSG-LC24FG73FQEXXT

Size	31.5" Curved	34" Curved	24" Gaming Curved 144Hz
Brightness	250cd/m2	300cd/m2	350cd/m2
Contrast	3000:1 (Typ.)	3,000:1 (Typ.)	3,000:1 (Typ.)
Response Time	4ms	4ms	1ms (MPRT)
Resolution	1920 x 1080 (Full HD)	3440 x 1440 (WQHD)	1920 x 1080 (Full HD)
Connector	Display port, HDMI, Head phone	Display port, HDMI x2, USB, Headphone	Display port, HDMI x2, Headphone
SRP (inc.VAT)	8,990.-	29,900.-	8,990.-

MONITORS

268

SAMSUNG LED Monitor



เงื่อนไขการรับประกันจอเป็นจุดของ **SAMSUNG LCD** ทุกรุ่น รับเคลมเฉพาะกรณีสินค้า LCD ที่มีจุดตั้งแต่ 4 จุดขึ้นไป(ไม่เกิน 30 วันหลังจากซื้อสินค้า)

3 Years Warranty



LC27FG73FQEXXT
SSG-LC27FG73FQEXXT



LC27JG50QQEXXT
SSG-LC27JG50QQEXXT



LC32JG50QQEXXT
SSG-LC32JG50QQEXXT

Size	27" Gaming Curved 144Hz	27" Gaming Curved 144Hz	32" Gaming Curved 144Hz
Brightness	350cd/m2	300cd/m2	300cd/m2
Contrast	3,000:1 (Typ.)	3,000:1 (Typ.)	3,000:1 (Typ.)
Response Time	1ms (MPRT)	4(GTG) ms	4(GTG) ms
Resolution	1920 x 1080 (Full HD)	2560 x 1440 (WQHD)	2560 x 1440 (WQHD)
Connector	Display port, HDMI x2, Headphone	Display port, HDMI x2, Headphone	Display port, HDMI x2, Headphone
SRP(inc.VAT)	13,900.-	9,900.-	11,900.-



LU28H750UQEXXT
SSG-LU28H750UQEXXT



LU32J590UQEXXT
SSG-LU32J590UQEXXT

Size	28" Flat	32" Curved 60Hz
Brightness	300cd/m2	270cd/m2
Contrast	1000:1 (Typ.)	3000:1(Typ),2000:1(Min)
Response Time	1ms	4(GTG)ms
Resolution	3840 x 2160 (4K)	3840 x 2160 (Ultra HD 4K)
Connector	Display port, HDMI x2, Head phone	D-sub (VGA) x 1 / HDMI x 2
SRP(inc.VAT)	14,900.-	13,900.-



LC43J890DKEXXT
SSG-LC43J890DKEXXT



LC49J890DKEXXT
SSG-LC49J890DKEXXT

Size	43" Gaming Curved 120Hz 32:10	49" Gaming Curved 120Hz 32:9
Brightness	300cd/m2	300cd/m2
Contrast	3,000:1	3000:1(Typ),2400:1(Min)
Response Time	5(GTG) ms	5(GTG) ms
Resolution	3840 X 1200 (Double FHD)	3840 X 1080 (Double FHD)
Connector	Display port/ HDMI/Headphone/USB-Cx2	Display port/ HDMI/Headphone/USB-Cx2
SRP(inc.VAT)	27,900.-	29,900.-

ACER Monitor

3 Years Warranty and labor



Product Code	ACR-UMXE2SS002	ACR-UMIX2ST001	ACR-S200HQLHb
Description	LED 18.5" EB192Qb	LED 19.5" K202HQLbd (TN Panel)	LED 19.5" S200HQLHb
Display Size	18.5 inch (16:9)	19.5" (16:10)	19.5 inch (16:9)
Resolution	1366x768 @60Hz	1600x900 @60Hz	1366x768 @60Hz
Brightness	200 nits (cd/m2)	200 nits (cd/m2)	200 cd/m2
Contrast	100 million:1 (ACM)	100 million:1 (ACM)	(ACM) : 100 million:1 max
Response Time	5 ms	5 ms (G to G)	5 ms.
Speaker	N/A	No	N/A
Glare	No	No	No
Input Signal	VGA	VGA,DVI	VGA
Other	Internal adapter (100V-240V)	VESA Wall mounting : 100X100mm	in box : VGA Cable
SRP(inc.VAT)	2,390.-	2,390.-	2,990.-



Product Code	ACR-UMWX2ST001	ACR-UMWX0ST001	ACR-UMKX1STA03
Description	LED 21.5" K222HQLbd (TN Panel)	LED 21.5" KA220HQbd	LED 24.5" KA251QAbidx(TN Panel)
Display Size	21.5 inch (16:9)	21.5 inch (16:9)	24.5 inch (16:9)
Resolution	1920x1080 @60Hz	1920x1080 @60Hz (Full HD)	1920x1080@60Hz
Brightness	200 nits (cd/m2)	200 nits (cd/m2)	250 nits (cd/m2)
Contrast	100 million:1 (ACM)	100 million	100 million
Response Time	5 ms (G to G)	5 ms	5 ms (on/off)
Speaker	No	N/A	N/A
Glare	No	NO	NO
Input Signal	VGA,DVI	VGA, DVI (DVI w/HDCP)	VGA, DVI (w/HDCP),HDMI,Audio out
Other	VESA Wall mounting : 100X100mm	VGA, DVI Cable	VGA, DVI,HDMI Cable
SRP(inc.VAT)	3,090.-	3,390.-	3,990.-



Product Code	ACR-UMIV0ST001	ACR-UMWX2SSC01	ACR-UMQR0STA01
Description	LED 19.5" VA200WQL IPS	LED 21.5"K222HQLBbid (IPS)	LED 23.8" R240HYAbidx (VA Panel)
Display Size	19.5" (16:10)	21.5 inch (16:9)	23.8 inch (16:9)
Resolution	1440x900@60Hz	1920x1080 @60Hz (Full HD)	1920x1080 @60Hz (Full HD)
Brightness	250 nits (cd/m2)	250 nits (cd/m2)	250 nits (cd/m2)
Contrast	100 million:1 (ACM)	100 million:1 (ACM)	100 million
Response Time	5 ms (G to G)	4 ms (G to G)	4 ms
Speaker	No	N/A	N/A
Glare	No	No	NO
Input Signal	VGA,DVI	VGA,DVI(w/ HDCP),HDMI	VGA+DVI(w/ HDCP)+HDMI (v1.4)Audio out
Other	VESA Wall mounting : 100X100mm	VESA Wall Mounting : 100x100mm	VGA,DVI cable
SRP(inc.VAT)	2,790.-	3,990.-	4,190.-

MONITORS

270

ACER Monitor

3 Years Warranty and labor



Product Code	ACR-UMJE2ST001	ACR-UMVV0ST001
Description	LED Curve 31.5" ED322Qwmidx	Gaming LED 21.5"VG220Qbmiix (IPS Panel)
Display Size	31.5 inch (Curve 16:9)	21.5" H (16:9)
Resolution	1920x1080 @60Hz	1920 x 1080
Brightness	250 nits (cd/m2)	250 nits (cd/m2)
Contrast	100 million:1 (ACM)	100 million
Response Time	4 ms (G to G)	1ms (MPRT)
Speaker	Yes	2Wx2
Glare	No	NO
Input Signal	VGA+DVI (w/HDCP),HDMI, Audio out	VGA, HDMI x 2,Audio out
Other	External adapter(60W)	VGA, HDMI Cable
SRP(inc.VAT)	7,990.-	4,090.-



Product Code	ACR-UMQV0ST001	ACR-UMKX1ST001
Description	Gaming LED 23.8"VG240Ybmiix	Gaming LED24.5" KG251Qbiix
Display Size	23.8" H	24.5" (16:9)
Resolution	1920 x 1080	HDMI:1920x1080@75Hz / VGA:@60Hz
Brightness	250 nits (cd/m2)	250 cd/m2
Contrast	100 million	100 million:1 max
Response Time	1ms (MPRT)	1 ms (G to G)
Speaker	2Wx2	2W x 2
Glare	NO	No
Input Signal	VGA,HDMI x 2, Audio out	VGA, HDMI x 2, Audio out
Other	VGA , HDMI Cable	VESA Wall Mounting : 100 x 100mm
SRP(inc.VAT)	4,990.-	5,190.-



Product Code	ACR-UMKX1STF01	ACR-UMHX1STC01
Description	Gaming LED 24.5" KG251QFbmidpx(144hz)	Gaming LED 27" KG271Cbmidpx(144hz)
Display Size	24.5"	27" (16:9)
Resolution	1920x1080	1920x1080
Brightness	400 cd/m2	400 cd/m2
Contrast	100 million	100 million
Response Time	1ms (G to G)	1 ms (G to G)
Speaker	2Wx2	2Wx2
Glare	NO	NO
Input Signal	DVI(DL),HDMI ,Display(1.2),Audio out	DVI (DL), HDMI, Display(1.2) ,Audio out
Other	DVI, HDMI, DP Cable	DVI, HDMI , DP Cable
SRP(inc.VAT)	7,990.-	9,990.-

MONITORS

271

PHILIPS MONITORS

PHILIPS



PHL-170S9A/67



PHL-193V5LSB2/97



PHL-203V5LSB2/97

Panel Type	TFT-LCD Backlight type: W-LED system	TFT-LCD Backlight type: W-LED	TFT-LCD Backlight type: W-LED system
Aspect Ratio	5:4 (Square)	16:9	16:9
Panel Size	17" / 43.2 cm.	18.5 inch/47 cm	19.5 inch / 49.5 cm
Pixel Pitch	0.264 x 0.264 mm	0.30 x 0.30 mm	0.26 x 0.26 mm
Brightness	250 cd/m ²	200 cd/m ²	200 cd/m ²
Contrast Ratio (Dynamic)	1,000:1	700. : 1	600. : 1
Response Time	1 ms (GtG)*	5 ms	5 ms
Display Color	16.7M	16.7 M	16.7 M
Signal Input	DVI-D (digital, HDCP), VGA (Analog)	VGA (Analogue)	VGA (Analogue)
Maximum Resolution	1280 x 1024 @ 60Mhz.	1366 x 768 @ 60 Hz	1600 x 900 @ 60 Hz
Dimension with stand	367 x 393 x 196 mm	437 x 338 x 170 mm	465 x 345 x 170 mm
Weight	2.40 kg (Include packaging 3.66 kg)	2.15 kg	2.33 kg
Color	Black	Black	Black
SRP (inc.VAT)	3,390.-	1,790.-	1,990.-



PHL-222B9T/00



PHL-223V5LHSB2/67



PHL-241B8QJEB/67

Panel Type	TFT LCD Backlight type: W-LED system	TFT-LCD Backlight type: W-LED	IPS Backlight type: W-LED system
Aspect Ratio	16:9	16:9	16:9
Panel Size	21.5 inch / 54.6 cm	21.5 inch / 54.6 cm	23.8 inch / 60.5 cm
Pixel Pitch	0.364 x 0.364 mm	0.248x 0.248 mm	0.272 x 0.272 mm
Brightness	250 cd/m	200 cd/m ²	250 cd/m ²
Contrast Ratio (Dynamic)	1000.:1	600.:1	1,000 : 1
Response Time	1 ms (Gray to Gray)	5 ms	5 ms (Gray to Gray)*
Display Color	16.7 M	16.7 M	16.7 M
Signal Input	VGA (Analog), DVI-D (digital, HDCP)	VGA (Analog), HDMI	VGA (Analog),DVI-D(digi HDCP),DP1.2,HDMI1.4
Maximum Resolution	1920 x 1080 @ 60Hz	1920 x 1080 @ 60 Hz	1920 x 1080 @ 60 Hz
Dimension with stand	515 x 394 x 227 mm	503 x 376 x 213 mm	600 x 468 x 198 mm
Weight		2.61 kg	4.97 kg
Color	Black	Black	Black
SRP (inc.VAT)	7,900.-	2,640.-	4,590.-



PHL-241E1D/67



PHL-242B9T/00

Panel Type	IPS Backlight type: W-LED system	IPS Backlight type: W-LED system
Aspect Ratio	16:9	16:9
Panel Size	23.8 inch / 60.5 cm	23.8 inch / 60.5 cm
Pixel Pitch	0.275 x 0.275 mm	0.275 x 0.275 mm
Brightness	250 cd/m ²	250 cd/m
Contrast Ratio (Dynamic)	1000.:1	1000.:1
Response Time	4 ms (GtG)*	5 ms (Gray to Gray)*
Display Color	16.7 M	16.7 M
Signal Input	VGA, HDMI, DVI-D	VGA (Analog), DVI-D (digital, HDCP)
Maximum Resolution	1920 x 1080 @ 75 Hz*	1920 x 1080 @ 60Hz
Dimension with stand	537 x 414 x 205 mm	554 x 413 x 227 mm
Weight	3.00 kg	
Color	Black	Black
SRP (inc.VAT)	3,850.-	9,500.-

PHILIPS MONITORS

PHILIPS



PHL-271E1D/67



PHL-271V8/67

Panel Type	IPS Backlight type: W-LED system	IPS Backlight type: W-LED system
Aspect Ratio	16:9	16:9
Panel Size	27 inch / 68.6 cm	27 inch / 68.6 cm
Pixel Pitch	0.311 x 0.311 mm	0.311 x 0.311 mm
Brightness	250 cd/m ²	250 cd/m
Contrast Ratio (Dynamic)	1000.:1	1000.:1
Response Time	4 ms (GtG)*	4 ms (GtG)*
Display Color	16.7 M	16.7 M
Signal Input	VGA , DVI-D, HDMI	VGA (Analog) , HDMI (digital, HDCP)
Maximum Resolution	1920 x 1080 @ 60Hz	1920 x 1080 @ 75 Hz*
Dimention with stand	610 x 460 x 205 mm	613 x 456 x 231 mm
Weight	4.10 kg	3.75 k
Color	Black	Black
SRP(inc.VAT)	5,850.-	4,430.-



PHL-272M7C/67



PHL-278E1A/67

Panel Type	VA LCD Backlight type: W-LED system	IPS Backlight type: W-LED system
Aspect Ratio	16:9	16:9
Panel Size	27 inch / 68.6 cm	27 inch / 68.6 cm
Pixel Pitch	0.311 x 0.311 mm	0.155 x 0.155 mm
Brightness	250 cd/m ²	350 cd/m ²
Contrast Ratio (Dynamic)	3000.:1	1000.:1
Response Time	1 ms (MPRT)	4 ms (GtG)*
Display Color	16.7 M	1.07 billion colors
Signal Input	VGA (Analog) , HDMI (Digital, HDCP)	DisplayPort 1.2, HDMI 2.0 x 2
Maximum Resolution	1920 x 1080 @ 144 Hz	3840 x 2160 @ 60 Hz // 4K
Dimention with stand	612 x 459 x 209 mm.	613 x 461 x 192 mm
Weight	4.96 Kg	4.78 kg
Color	Black	Black
SRP(inc.VAT)	7,990.-	8,190.-



PHL-436M6VBAB/75

Panel Type	MVA Backlight type: W-LED system
Aspect Ratio	16:9
Panel Size	42.51 inch / 108 cm
Pixel Pitch	0.364 x 0.364 mm
Brightness	450 cd/m ²
Contrast Ratio (Dynamic)	4000.:1
Response Time	4 ms (Grey to Grey)*
Display Color	16.7 M
Signal Input	VGA, DP1.4 x 1,HDMI 2.0x2,USB-C,USB3.0x3
Maximum Resolution	3840 x 2160 @ 60 Hz
Dimention with stand	976 x 661 x 264 mm
Weight	12.72 kg
Color	Black
SRP(inc.VAT)	18,900.-

MONITORS



BENQ MONITORS

Mainstream Monitor



P/N	BNQ-GL2580H	BNQ-GW2480	BNQ-GW2283
Size (Inch)	24.5"	23.8"	21.5"
Resolution	1920 x 1080	1920 x 1080	1920 x 1080
Brightness	250cd/m2	250cd/m2	250cd/m2
Response Time	2ms	5ms	5ms
Refresh rate	60 HZ	60 HZ	60 HZ
Contrast Ratio	CR = 1000:1 DCR= 12M :1	CR = 1000:1 DCR= 20M :1	CR = 1000:1 DCR= 20M :1
Speaker	NO	1W x 2	1W x 2
power	Built-in	Built-in	25W
Signal Input	D-Sub/DVI/ HDMI	VGA / HDMI / Display port	D-Sub / HDMI x 2
SRP(inc.VAT)	5,690.-	5,790.-	3,390.-



P/N	BNQ-EW2770QZ	BNQ-EW277HDR	BNQ-EW3270U
Size (Inch)	27"	27"	32"
Resolution	2560 x 1440	1920 x 1080(HDR)	3840 x 2160HRVQ with HDR
Brightness	300 cd/m2	300 cd/m2	300 cd/m2
Response Time	5ms	4ms	4ms
Refresh rate	60 HZ	60 HZ	60 HZ
Contrast Ratio	CR = 1000:1	CR = 3000:1 DCR= 20M :1	CR = 3000:1 DCR= 20M :1
Speaker	YES (2WX2)	YES (1WX2)	2W x 2
power		Adaptor	Built-in
Signal Input	HDMI	D-Sub, DVI, HDMI, Headphone Jack, Line In	HDMI / Display port / USB Type-C
SRP(inc.VAT)	16,900.-	7,690.-	18,900.-

Monitor Design for Gaming



P/N	BNQ-XL2411P	BNQ-XL2536	BNQ-XL2546	BNQ-EX3200R
Size (Inch)	24"	24.5"	24.5"	31.5"
Resolution	1920 x 1080	1920 x 1080	1920 x 1080	1920x1080
Brightness	350cd/m2	320cd/m2	400 cd/m2	300 cd/m2
Response Time	1ms	1ms	1ms	4ms
Refresh rate	144Hz	144Hz	240Hz	60-144Hz
Contrast Ratio	CR = 1000:1 DCR= 12M :1	CR = 1000:1 DCR= 12M :1	CR = 1000:1 DCR= 12M :1	CR = 3000:1 DCR= 20M :1
Speaker	NO	NO	NO	No
power	45w	50w	55w	46w
Signal Input	DVI-DL / HDMIx1 / DP1.2 / headphone jack	DVI-DL / HDMI x2 / DP1.2 / headphone jack / microphone jack	DVI-DL / HDMI x2 / DP1.2 / headphone jack / microphone jack	HDMI1.4x3(MHL x 1)/DPx1, Display Port ,Mini port jack, line in,out
SRP(inc.VAT)	9,990.-	15,900.-	21,900.-	15,900.-

MONITORS

274

BENQ MONITORS



Monitor Design for Photographer



By Order

P/N	BNQ-SW2700PT	BNQ-SW240	BNQ-SW271	BNQ-SW320
Size (Inch)	27"	24.1"	27"	32"
Resolution	2560x1440	1920x1200	3840x2160	3840x2160 4K HDR
Brightness	350 cd/m2	250 cd/m2	350 cd/m2	350 cd/m2
Response Time	5ms	5ms	5ms	5ms
Refresh rate	60 HZ	60 HZ	60 HZ	60 HZ
Contrast Ratio	CR = 1000:1 DCR= 20M :1	CR = 1000:1 DCR= 20M :1	CR = 1000:1 DCR= 20M :1	CR = 1000:1
Speaker	NO	NO	NO	NO
High Adjust	130mm	140mm	150mm	130mm
WallMount	YES	YES	YES	YES
power	65w	55w	43w	65w
Signal Input	DVI-DL/ HDMI 1.4/ DP1.2 / Headphone jack	DVI-DL x 1 HDMI x 1 Display port x 1	HDMI 2.0 x 2 USB 3.1 x 3 USB-C x 1	HDMI 2.012 , miniDP1.4+DP1.4 ,Headphone jack
SRP(inc.VAT)	24,900.-	17,900.-	45,900.-	59,900.-



P/N	BNQ-PD2500Q	BNQ-PD2700Q	BNQ-PD2710QC	BNQ-PD3200U
Size (Inch)	25"	27"	27"	32"
Resolution	2560x1440	2560x1440	2560x1440	3840x2160
Brightness	350 cd/m2	350 cd/m2	350 cd/m2	350 cd/m2
Response Time	4ms	4ms	5ms	4ms
Refresh rate	60 HZ	60 HZ	60 HZ	60 HZ
Contrast Ratio	CR = 1000:1 DCR= 20M :1	CR = 1000:1 DCR= 20M :1	CR = 1000:1 DCR= 20M :1	CR = 1000:1 DCR= 20M :1
Speaker	YES (2WX2)	YES (1WX2)	YES (2WX2)	YES (5WX2)
High Adjust	130mm	130mm	130mm	150mm
WallMount	YES	YES	YES	YES
power	21w	28w	45w	44w
Signal Input	HDMI1.4/ DP1.2/ mDP1.2/ Headphone jack	HDMI1.4/ DP1.2/ mDP1.2/ Headphone jack	HDMI1.4/ DP1.2/ mDP1.2/ Headphone jackUSB-C™ Docking Station	HDMIx2 / DP / mDP / usb x 5 / card reader
SRP(inc.VAT)	11,900.-	13,900.-	26,900.-	32,490.-



P/N	BNQ-PD3200Q	BNQ-PV270	BNQ-EL2870U
Size (Inch)	32"	27"	28"
Resolution	2560x1440	2560x1440	3840 x 2160
Brightness	300 cd/m2	350 cd/m2	300 cd/m2
Response Time	4ms	5ms	1ms
Refresh rate	60Hz	60 HZ	60 HZ
Contrast Ratio	CR = 1000:1 DCR= 20M :1	CR = 1000:1 DCR= 20M :1	CR = 1000:1 DCR= 12M :1
Speaker	YES (5WX2)	NO	YES (2WX2)
High Adjust	150mm	150mm	-
WallMount	YES	YES	YES
power	35w	52w	55w
Signal Input	DVI / HDMI / DP / mDP / usb x 5 / card reader	DVI / HDMI / DP / mDP	HDMI (2.0) x 2 / DP(1.4) x 1
SRP(inc.VAT)	20,900.-	35,900.-	14,200.-

MONITORS

275

LEGION

Different envisions better

Unfolding **professional colour** in your viewing experience!



Y25f-10
MONITOR



HDR decoding



Smoothest performance



Ergonomic form & function

MONITORS

276

Panel Size	Maximum Brightness (Typical)	Dynamic Contrast Ratio	Aspect Ration	Resolution	Video Input Signals	Refresh Rate	Respond Time	AMD Free Sync Details
24.5"	400 cd/m ²	3M:1	16:9	1920 x 1080	DP 1.2 x 1 + HDMI 1.4 x 1	144hz	1ms	synchronized the refresh rate to the GPU to eliminate screen tearing




3 years Advanced Exchange – Scope of Service




- The service:** Lenovo will assist Customer to resolve any technical issue remotely. Lenovo will exchange the failed product with a permanent replacement unit if the technical issue cannot be resolved remotely.
 - Type of replacement unit:** The replacement unit will be a new or refurbished product unit. A refurbished product unit will be the same or a more recent model, free of major cosmetic defects and equivalent to new in performance, offering functionality at least equivalent to that of the replaced product.
 - Shipping:** The replacement unit will be shipped to your location free of freight charges, during the next business day* for which you have a coverage window. The replaced product becomes the property of Lenovo and will be collected by Lenovo at your location.
 - Hours of coverage:** Next Business Day*. The coverage window specifies the coverage hours during which your call may be logged and service is delivered. The following coverage windows are available for telephone support: •Standard: Service is available within the business hours in local time, Monday through Friday, excluding public holidays.
- A Call must be received before the local cut off time during the contracted coverage window to activate an exchange service with next-business-day delivery. The replacement unit will be delivered during the contracted coverage window.




3 Years Advanced Exchange

Log in to **support.lenovo.com** for more information on the exchange policy

Lenovo Display Monitor กรุณาตรวจสอบ Spec & ราคากับพนักงานก่อนทุกครั้ง Lenovo

	D22-10 LNV-65E4KAC6TH (Raven Black)		D24-10 LNV-65E2KAC1TH (Raven Black)		D32q-20 LNV-65F7GAC1TH (Raven Black)
Display	21.5" WLED TN		23.6" WLED TN		31.5" WLED (In-Plane Switching)
Resolution	Full HD (1920 x 1080)		FHD (1920 x 1080)		QHD (2560 x 1440)
Aspect Ratio	16:9		16:9		16:9
Brightness	200 cd/m2		200 cd/m2		250 cd/m2
Color Gamut	72% NTSC		72% NTSC		72% NTSC
Contrast Ratio	600:1		Typical 3000:1 Dynamic 3M:1		Typical 1000:1
Display Colors	16.7 Million		16.7 Million		1.07 Billion
Response Time	5 ms		Extreme : 1 ms Typical : 3ms / 5ms (typical/off)		4ms
Anti-Glare	Yes		Yes		Yes
Connectivity	VGA+HDMI		VGA + HDMI 1.4		HDMI 1.4 + DP1.2
Power Supply					Internal
Power Voltage					100-240VAC
Weight	4.46 kg (Packed) 3.11 kg (UnPacked)		5.26 kg (Packed) 3.61 kg (UnPacked)		Starting at 10.51 kg
Warranty	3 Yrs Carry-in		3 Yrs Onsite (AE: Advance Exchange)		3 Years AE(Advance Exchange)
SRP(inc.VAT)	2,690.-		3,190.-		7,990.-

	L22e-20 LNV-65DEKAC1TH (Raven Black)		L24e-20 LNV-65DFKAC1TH (Raven Black)		L24q-10 LNV-65CFGAC3TH (Warm Sliver)
Display	21.5" WLED		23.8" WLED		23.8" WLED IPS (In-Plane Switching)
Resolution	FHD (1920 x 1080)		FHD (1920 x 1080)		QHD (2560 x 1440)
Aspect Ratio	16:9		16:9		16:9
Brightness	250 cd/m2		250cd/m2		300 cd/m2
Color Gamut	72% NTSC		72% NTSC		>99% sRGB
Contrast Ratio	Typical 3000:1 Dynamic 3M:1		Typical 1000:1 Dynamic 3M:1		Typical 3000:1 Dynamic 3M:1
Display Colors	16.7 Million		16.7 Million		16.7 Million
Response Time	Extreme : 4 ms Typical Mode : 6 ms		Extreme : 4 ms Typical Mode : 6 ms		Extreme : 4 ms Typical Mode : 6 ms
Anti-Glare	Yes		Yes		Yes
Connectivity	VGA + HDMI HDMI-out Audio Out : Yes		VGA + HDMI HDMI-out Audio Out : Yes		DisplayPort HDMI-out
Power Supply	Internal		Internal		External Adapter
Power Voltage	100-240VAC		100-240VAC		90 VAC - 264 VAC
Weight	4.26 kg (Packed) 2.75 kg (UnPacked)		5.03 kg (Packed) 3.36 kg (UnPacked)		5 kg (Packed) 3.55 kg (UnPacked)
Warranty	3 Yrs Onsite (AE: Advance Exchange)		3 Yrs Onsite (AE: Advance Exchange)		3 Yrs Onsite (AE: Advance Exchange)
SRP(inc.VAT)	3,190.-		3,490.-		5,990.-

	New G24-10 LNV-65FDGAC2TH (Raven Black)		Q24i-10 LNV-65F3KAC3TH (Raven Black)		Q27q-10 LNV-65F4GAC3TH (Raven Black)
Display	23.6" WLED TN		23.8" WLED IPS (In-Plane Switching)		27" WLED IPS (In-Plane Switching)
Resolution	FHD (1920 x 1080)		FHD (1980 x 1080)		QHD (2560 x 1440)
Aspect Ratio	16:9		16:9		16:9
Brightness	Typical:240 cd/m2 Peak:300 cd/m2		250 cd/m2		300 cd/m2
Color Gamut	72% NTSC		72% NTSC		99% sRGB
Contrast Ratio	Typical 1000:1 Dynamic 3M:1		Typical 1000:1 Dynamic 3M:1		Typical 1000:1 Dynamic 3M:1
Display Colors	16.7 Million		16.7 Million		16.7 Million
Response Time	1 ms (extreme mode)		Extreme : 4 ms Typical : 6 ms		Extreme : 4 ms Typical : 6 ms
Anti-Glare	Yes		Yes		Yes
Connectivity	1 x HDMI 1.4 + 1 x DisplayPort 1.2 Audio Signal : 1 x Audio-Out (35mm.)		HDMI 1.4 + VGA (Support HDMI External Adapter)		HDMI 1.4 + DP 1.2 External Adapter
Power Supply					
Power Voltage	AC 90 VAC - 264 VAC (47/63 Hz)		90 - 264 VAC		90 - 264 VAC
Weight	Packed : 4.95 kg Unpacked : 3.73 kg		Starting at 6.5 kg		Starting at 6.5 kg
Warranty	3 Years AE(Advance Exchange)		3 Years AE(Advance Exchange)		3 Years AE(Advance Exchange)
SRP(inc.VAT)	4,890.-		4,490.-		8,150.-

Lenovo Display Monitor

กรุณาตรวจสอบ Spec & ราคากับพนักงานก่อนทุกครั้ง



New

G25-10

LNV-65FEGAC2TH
(Raven Black)

Display	24.5" WLED TN
Resolution	FHD (1920 x 1080)
Aspect Ratio	16:9
Brightness	Typical : 320 cd/m2 Peak : 400 cd/m2
Color Gamut	72% NTSC
Contrast Ratio	Typical 1000:1 Dynamic 3M:1
Display Colors	16.7 Million
Response Time	1 ms (extreme mode)
Anti-Glare	Yes
Connectivity	1 x HDMI 1.4 + 1 x DisplayPort 1.2 Audio Signal : 1 x Audio-Out (35mm.)
Power Supply	
Power Voltage	AC 90 VAC – 264 VAC (47/63 Hz)
Weight	Packed : 6.55 kg Unpacked : 5.09 kg
Warranty	3 Years AE(Advance Exchange)
SRP(inc.VAT)	6,390.-



Legion Y27g-20

LNV-65EEGAC1TH
(Raven Black)



Nvidia G-SYNC

Legion Y27gq-20

LNV-65ECGAC1TH
(Raven Black)

Display	27" WLED TN (Gaming Monitor)	27" WLED TN (Gaming Monitor)
Resolution	QHD (2560 x 1440)	QHD (2560 x 1440)
Aspect Ratio	16:9	16:9
Brightness	Minimum : 350 cd/m2 Typical : 280 cd/m2	Minimum : 350 cd/m2 Typical : 300 cd/m2
Color Gamut	72% NTSC	72% NTSC
Contrast Ratio	Typical 1000:1 Dynamic 3M:1	Typical 1000:1 Dynamic 3M:1
Display Colors	1.07 Billion	16.7 Million
Response Time	Extreme : 1 ms Normal : 3 ms	Extreme : 1 ms Typical : 2 ms Normal : 5 ms
Anti-Glare	Yes	Yes
Connectivity	HDMI 1.4 + DP1.2	HDMI 1.4 + DP1.2
Power Consumption	External	External
Power Supply		
Power Voltage	100 VAC – 240 VAC	100 VAC – 240 VAC
Weight	Packed : Starting at 9.70 kg	Packed : Starting at 9.77 kg
Warranty	3 Years AE(Advance Exchange)	3 Years AE(Advance Exchange)
SRP(inc.VAT)	15,900.-	19,990.-



Y25f-10

LNV-65D9GAC4TH
(Raven Black)



Nvidia G-SYNC

Legion Y27gq-25

LLNV-65EDGAC1TH
(Raven Black)

Display	24.5" WLED TN (Gaming Monitor)	27" WLED TN (Gaming Monitor)
Resolution	FHD (1920 x 1080)	QHD (2560 x 1440)
Aspect Ratio	16:9	16:9
Brightness	Minimum : 320 cd/m2 Typical : 400 cd/m2	Minimum : 400 cd/m2 Typical : 320 cd/m2
Color Gamut	72% NTSC	88% NTSC
Contrast Ratio	Typical 1000:1 Dynamic 3M:1	Typical 1000:1 Dynamic 3M:1
Display Colors	72% NTSC	16.7 Million
Response Time	Minimum : 1 ms Typical : 5 ms	Extreme : 0.5 ms Normal : 1 ms
Anti-Glare	Yes	Yes
Connectivity	DisplayPort HDMI-out	HDMI 2.0 + DP1.4
Power Consumption	Typical : 24W Maximum : 34W Sleep	Typical : 68 W Maximum : 110 W
Power Supply	External	
Power Voltage	90 VAC – 264 VAC	100 VAC – 240 VAC
Weight	8.01 kg (Packed) 6.35 kg (UnPacked)	Packed : Starting at 10.81 kg
Warranty	3 Yrs Carry-in (AE: Advance Exchange)	3 Years AE(Advance Exchange)
SRP(inc.VAT)	5,990.-	29,900.-

MONITORS

278