

**BOSCH : IP Camera**



MODEL	NBN-50022-V3	NIN-50022-V3	NUC-51022-F2	NTI-50022-V3
Sensor	1/2.7"	1/2.7"	1/2.7"	1/2.7"
Resolution	HD 1080P	HD 1080P	HD 1080P	HD 1080P
Lens	3.3-12 mm	3-10 mm	2.5 mm	3-10 mm
Minimum Illumination	0.05 lux	0.05 lux	1 lux	0 lux (IR On)
Maximum Frame rate	30 fps	30 fps	30 fps	30 fps
Day/Night	True Day/Night	True Day/Night	True Day/Night	True Day/Night
Wide Dynamic Range	76 db	76 db	76 db	76 db
ONVIF Support	Yes	Yes	Yes	Yes
Audio Support	Two way Audio	One way Audio	No	Two way Audio
Advance Feature	Memory Card / Intelligent Dynamic Noise Reduction	Memory Card / Intelligent Dynamic Noise Reduction	Memory Card / Intelligent Dynamic Noise Reduction	IR / Intelligent Dynamic Noise Reduction
Warranty	3 Years	3 Years	3 Years	3 Years

SRP (Inc.vat)	32,900.-	33,700.-	26,700.-	42,400.-
---------------	----------	----------	----------	----------



MODEL	NPC-20012-F2	NUC-21012-F2
Sensor	1/4"	1/4"
Resolution	HD 720P	HD 720P
Lens	2.5 mm	2.5 mm
Minimum Illumination	1 lux	1 lux
Maximum Frame rate	30 fps	30 fps
Day/Night	Electronic Day/Night	Electronic Day/Night
Wide Dynamic Range	76 db	69 db
ONVIF Support	Yes	Yes
Audio Support	No	No
Advance Feature	Memory Card / Intelligent Dynamic Noise Reduction	Memory Card / Intelligent Dynamic Noise Reduction
Warranty	3 Years	3 Years

SRP (Inc.vat)	15,800.-	17,800.-
---------------	----------	----------

MODEL	DIP-3040-00N
Max.system size	32
Video Management Software	Yes
Form Factor	4-bay, Mini-Tower
Max.Base System Capacity	8 TB
Available capacities/drive	3 TB
External support	iscsi
USB ports	4xUSB 2.0 / 1xUSB 3.0
LAN	1x Gigabit Ethernet
Video Output	1 DVI
Video Compression	H.264, MPEG-4, ONVIF, RTSP, JPEG
Warranty	3 Years

SRP (Inc.vat)	107,300.-
---------------	-----------



Bullet	Box	Micro Dome	Dome	DIVAR IP
NTI-40012-V3	NBC-225-P	NUC-21002-F2	NIN-40012-V3	DIP-2042-2HD
NTI-50022-V3	NBC-255-P	NUC-21012-F2	NII-40012-V3	DIP-2042-4HD
	NBC-255-W	NUC-51022-F2	NDN-40012-V3	DIP-2040-00N
<b>Micro Box</b>	NBC-265-W	NUC-51022-F4	NDI-40012-V3	DIP-3042-2HD
NPC-21002-F2	NBN-40012-C	NUC-51022-F2M	NIN-50022-V3	DIP-3042-4HD
NPC-21012-F2	NBN-40012-V3	NUC-51051-F2	NII-50022-V3	DIP-3040-00N
	NBN-50022-C	NUC-51051-F4	NIN-50051-V3	DIP-2302-HDD
	NBN-50022-V3	NUC-51051-F2M	NDN-50022-V3	
	NDI-50022-V3			
	NDN-50051-V3			

**HIKVISION : IP Camera**



Model	IR Mini Bullet Camera	IR Mini Bullet Camera	IR Mini Bullet Camera	IR Fixed Dome Camera
Hikvision Part	DS-2CD2010F-I	DS-2CD2022WD-I	DS-2CD2042WD-I	DS-2CD2110F-I
Part	HVS-DS2CD2010FI (4mm.)	HVS-DS2CD2022WDI#1 (4mm.) HVS-DS2CD2022WDI (6mm.)	HVS-DS2CD2042WDI (4mm.)	HVS-DS2CD2110FI#1 (2.8mm.) HVS-DS2CD2110FI (4mm.)
Sensor	1/3" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS
Lens	4mm. @ F2.0	4mm./6mm. @ F2.0	4mm. @ F2.0	2.8mm./4mm. @ F2.0
Resolution	1.3 MP ( 1280 x 720 )	2 MP ( 1920 x 1080 )	4 MP ( 2688 x 1520 )	1.3 MP ( 1280 x 720 )
IR (Max)	30 meters	30 meters	30 meters	30 meters
Frame Rate (Max)	50Hz: 25fps (1280 x 720)	50Hz: 25fps (1920 x 1080)	50Hz: 20fps ( 2688 x 1520)	50Hz: 25fps (1280 x 720)
On-board storage	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB	N/A	N/A	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB
Power Supply	DC12V ± 10%, PoE (802.3af)	DC12V ± 10%, PoE (802.3af)	DC12V ± 10%, PoE (802.3af)	DC12V ± 10%, PoE (802.3af)
Warranty	3 Years	3 Years	3 Years	3 Years
SRP (In.vat)	4,540.-	7,560.-	9,840.-	4,540.-



Model	IR Fixed Dome Camera	IR Fixed Dome Camera	Downlight Dome	Mini Dome Camera
Hikvision Part	DS-2CD2122FWD-I	DS-2CD2142FWD-I	DS-2CD2E20F	DS-2CD2522FWD-IWS
Part	HVS-2CD2122FWDI#2 (2.8mm.) HVS-DS2CD2122FWDI (4mm.) HVS-2CD2122FWDI#1 (6mm.)	HVS-2CD2142FWDI#1 (2.8mm.) HVS-DS2CD2142FWDI (4mm.)	HVS-DS2CD2E20F (4mm.)	HVS-CD2522FWDI28 (2.8mm.) HVS-2CD2522FWDIWS (4mm.)
Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Lens	2.8mm./4mm./6mm. @ F2.0	2.8mm./4mm. @ F2.0	4mm. @ F2.0	2.8mm./4mm. @ F2.0
Resolution	2 MP ( 1920 x 1080 )	4 MP ( 2688 x 1520 )	2 MP ( 1920 x 1080 )	2 MP ( 1920 x 1080 )
IR (Max)	30 meters	30 meters	-	10 meters
Frame Rate (Max)	50Hz: 25fps (1920 x 1080)	50Hz: 20fps ( 2688 x 1520)	50Hz: 25fps (1920 x 1080)	50Hz: 25fps (1920 x 1080)
On-board storage	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB
Power Supply	DC12V ± 10%, PoE (802.3af)	DC12V ± 10%, PoE (802.3af)	DC12V ± 10%, PoE (802.3af)	DC12V ± 10%, PoE (802.3af)
Warranty	3 Years	3 Years	3 Years	3 Years
SRP (In.vat)	7,560.-	9,190.-	8,150.-	10,590.-



Model	IR Cube Camera	IR Cube Camera	Mini IR PT Camera	Mini IR PT Camera
Hikvision Part	DS-2CD2410F-IW	DS-2CD2422FWD-IW	DS-2CD2Q10FD-IW	DS-2CD2F22FWD-IWS
Part	HVS-DS2CD2410FIW (2.8mm.)	HVS-DS2CD2422FWDIWIW (2.8mm.)	HVS-DS2CD2Q10FDIWIW (2.8mm.)	HVS-DS2CD2F22FWDIWIW (4mm.)
Sensor	1/4" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/4" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Lens	2.8mm. @ F2.0	2.8mm. @ F2.0	2.8mm. @ F2.0	4mm. @ F2.0
Resolution	1 MP ( 1280 x 720 )	2 MP ( 1920 x 1080 )	1 MP ( 1280 x 720 )	2 MP ( 1920 x 1080 )
IR (Max)	10 meters	10 meters	10 meters	10 meters
Frame Rate (Max)	50Hz: 25fps (1280 x 720)	50Hz: 25fps (1280 x 720)	50Hz: 25fps (1280 x 720)	50Hz: 25fps (1280 x 720)
On-board storage	Built-in Micro SD/SDHC/SDXC slot, up to 64 GB	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB
Power Supply	DC12V ± 10%, PoE (802.3af)	DC12V ± 10%, PoE (802.3af)	DC5V ± 10%	DC12V ± 10%, PoE (802.3af)
Warranty	3 Years	3 Years	3 Years	3 Years
SRP (In.vat)	4,080.-	6,870.-	6,400.-	10,360.-

**HIKVISION : IP Camera**



Model	EXIR Turret Camera	EXIR Bullet Camera	Vari-focal IR Bullet	Vari-focal IR Bullet
Hikvision Part	DS-2CD2322WD-I	DS-2CD2T22WD-IS	DS-2CD2620F-I	DS-2CD2622FWD-I
Part	HVS-DS2CD2322WDI (4mm.)	HVS-2CD2T22WDI5#1 (4mm.) HVS-DS2CD2T22WDI5 (8mm.)	HVS-DS2CD2620F	HVS-2CD2622FWDI#1
Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Lens	4mm. @ F2.0	4mm./8mm. @ F2.0	2.8-12mm. @ F1.4	2.8-12mm. @ F1.4
Resolution	2 MP ( 1920 x 1080 )	2 MP ( 1920 x 1080 )	2 MP ( 1920 x 1080 )	2 MP ( 1920 x 1080 )
IR (Max)	30 meters	50 meters	30 meters	30 meters
Frame Rate (Max)	50Hz: 25fps (1920 x 1080)	50Hz: 25fps (1920 x 1080)	50Hz: 25fps (1920 x 1080)	50Hz: 25fps (1920 x 1080)
On-board storage	N/A	N/A	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB
Power Supply	DC12V ± 10%, PoE (802.3af)	DC12V ± 10%, PoE (802.3af)	DC12V ± 10%, PoE (802.3af)	DC12V ± 10%, PoE (802.3af)
Warranty	3 Years	3 Years	3 Years	3 Years
SRP (In.vat)	7,560.-	7,910.-	11,520.-	17,330.-



In Door



In Door



In Door

Model	Vari-focal IR Bullet	Vari-focal IR Dome	Vari-focal IR Dome	Vari-focal IR Dome
Hikvision Part	DS-2CD2622FWD-IZ	DS-2CD2722FWD-I	DS-2CD2722FWD-IS	DS-2CD2742FWD-I
Part	HVS-DS2CD2622FWDIZ	HVS-2CD2722FWDI#1	HVS-DS2CD2722FWDIS (Audio/Alarm)	HVS-DS2CD2742FWDI
Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS
Lens	2.8-12mm. @ F1.4 (Mortorized)	2.8-12mm. @ F1.4	2.8-12mm. @ F1.4	2.8-12mm. @ F1.4
Resolution	2 MP ( 1920 x 1080 )	2 MP ( 1920 x 1080 )	2 MP ( 1920 x 1080 )	4 MP ( 2688x1520 )
IR (Max)	30 meters	30 meters	30 meters	30 meters
Frame Rate (Max)	50Hz: 25fps (1920 x 1080)	50Hz: 25fps (1920 x 1080)	50Hz: 25fps (1920 x 1080)	50Hz: 25fps ( 2688x1520)
On-board storage	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB
Power Supply	DC12V ± 10%, PoE (802.3af)	DC12V ± 10%, PoE (802.3af)	DC12V ± 10%, PoE (802.3af)	DC12V ± 10%, PoE (802.3af)
Warranty	3 Years	3 Years	3 Years	3 Years
SRP (In.vat)	19,660.-	17,330.-	17,600.-	21,990.-



Model	Fisheye Camera	Fisheye Camera	Pan/Tilt/Zoom (Speed Dome)	Pan/Tilt/Zoom (Speed Dome)
Hikvision Part	DS-2CD2942F	DS-2CD2942F-IS	DS-2DE7230IWAE	DS-2DE5220I-AE
Part	HVS-DS2CD2942F	HVS-DS2CD2942FIS (Audio/Alarm)	HVS-DE7230IWAE	HVS-DS2DE5220IAE
Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Lens	1.6mm. @ F1.6	1.6mm. @ F1.6	4.3-129mm. @ F1.6-5.0 (Zoom 30X)	4.7-94mm. @ F1.6-3.5 (Zoom 16X)
Resolution	4 MP ( 2560x1440 )	4 MP ( 2560x1440 )	2 MP ( 1920 x 1080 )	2 MP ( 1920 x 1080 )
IR (Max)	-	8 meters	150 meters	150 meters
Frame Rate (Max)	50Hz: 25fps ( 2560x1440)	50Hz: 25fps ( 2560x1440)	50Hz: 25fps (1920 x 1080)	50Hz: 25fps (1920 x 1080)
On-board storage	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB
Power Supply	DC12V ± 10%, PoE (802.3af)	DC12V ± 10%, PoE (802.3af)	AC24, Hi-PoE	AC24, Hi-PoE
Warranty	3 Years	3 Years	3 Years	3 Years
SRP (In.vat)	12,680.-	20,820.-	58,200.-	45,400.-

**HIKVISION : IP Camera**



Model	Pan/Tilt/Zoom (Speed Dome)
Hikvision Part	DS-2DE5120I-AE
Part	HVS-DS2DE5120IAE
Sensor	1/2.8" Progressive Scan CMOS
Lens	4.7-94mm. @ F1.6-3.5 (Zoom 16X)
Resolution	1.3 MP ( 1280 x 960 )
IR (Max)	150 meters
Frame Rate (Max)	50Hz: 25fps (1280 x 960)
On-board storage	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB
Power Supply	AC24, Hi-PoE
Warranty	3 Years
SRP (In.vat)	40,400.-

**HIKVISION : IP Camera H.265+**



Model	IR Mini Bullet Camera	IR Fixed Dome Camera	Vari-focal IR Dome
Hikvision Part	DS-2CD2025FWD-I	DS-2CD2125FWD-I	DS-2CD2725FWD-IZS
Part	HVS-2CD2025FWD-I4	HVS-2CD2125FWD-I28 (2.8 mm.) HVS-2CD2125FWD-I4 (4 mm.) HVS-2CD2125FWD-I6 (6 mm.)	HVS-2CD2725FWD-IZS
Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Lens	4mm. @ F1.2	2.8mm./4mm./6mm. @ F1.2	2.8-12mm. @F1.4
Resolution	2 MP (1920 x 1080)	2 MP (1920 x 1080)	2 MP (1920 x 1080)
IR (Max)	30 meters	30 meters	30 meters
Frame Rate (Max)	50Hz: 25fps (1920 x 1080)	50Hz: 25fps (1920 x 1080)	50Hz: 25fps (1920 x 1080)
On-board storage	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB
Power Supply	DC12V ± 25%, PoE(802.3af)	DC12V ± 25%, PoE(802.3af)	DC12V ± 25%, PoE(802.3af)
Warranty	3 Years	3 Years	3 Years
SRP (In.vat)	9,370	9,640	11,090

**HIKVISION : Video Recorder**



Model	DS-7600NI-E1(-E2) series	DS-7600NI-E1(-E2) series	DS-7600NI-E1(-E2) series	DS-7700NI-E4(16P) series
Hikvision Part	DS-7604NI-E1, DS-7604NI-E1/4P	DS-7608NI-E2, DS-7608NI-E2/8P	DS-7616NI-E2, DS-7616NI-E2/16P	DS-7716NI-E4, DS-7716NI-E4/16P
Part	HVS-DS7604NIE1, HVS- DS7604NIE1/4P	HVS-DS7608NIE2, HVS- DS7608NIE2/8P	HVS-DS7616NIE2, HVS- DS7616NIE2/16P	HVS-DS7716NIE4, HVS- DS7716NIE4/16P
IP Camera Input	4 ch	8 ch	16 ch	16 ch
In/Out Bandwidth	40/80 Mbps.	80/80 Mbps.	160/80 Mbps.	160/80 Mbps.
Harddisk Support	1 unit	2 units	2 units	4 units
Network Interface	1 RJ 45 1000M	1 RJ 45 1000M	1 RJ 45 1000M	2 RJ 45 1000M
POE Ports	No POE, 4 Ports (HVS- DS7604NIE1/4P)	No POE, 8 Ports (HVS- DS7608NIE2/8P)	No POE, 16 Ports (HVS- DS7616NIE2/16P)	No POE, 16 POE (HVS- DS7716NIE4/16P)
HDMI Output	1 ch	1 ch	1 ch	1 ch
Warranty	3 years	3 years	3 years	3 years
SRP (In.vat)	6,400.- 9,890.- (POE)	8,730.- 12,220.- (POE)	9,190.- 17,450.- (POE)	25,480.- 34,780.- (POE)



**HIKVISION : Video Recorder**



Model	DS-7700NI-E4(/16P) series	DS-7700NI-E4(/16P) series	DS-7700NI-E4(/16P) series	DS-9632/64NI-I8
Hikvision Part	DS-7732NI-E4, DS-7732NI-E4/16P	DS-7732NI-E8	DS-7764NI-E8	DS-9632NI-I8
Part	HVS-DS7732NIE4, HVS-DS7732NIE4/16P	HVS-DS7732NIE8	HVS-DS7764NIE8	HVS-DS9632NII8
IP Camera Input	32 ch	32 ch	64 ch	32 ch
In/Out Bandwidth	160/80 Mbps.	320/200 Mbps.	320/200 Mbps.	320/256 Mbps.
Harddisk Support	4 units	8 units	8 units	8 units
Network Interface	2 RJ 45 1000M	2 RJ 45 1000M	2 RJ 45 1000M	2 RJ 45 1000M
POE Ports	No POE, 16 POE (HVS- DS7732NIE4/16P)	No POE	No POE	No POE
HDMI Output	1 ch	2 ch	2	2
Warranty	3 years	3 years	3 Years	3 Years
SRP (In.vat)	34,780.- 40,600.- (POE)	84,000.-	104,000.-	90,000.-

**HIKVISION : Video Recorder**



Model	DS-9632/64NI-I8	DS-9632/64NI-I16	DS-9632/64NI-I16
Hikvision Part	DS-9664NI-I8	DS-9632NI-I16	DS-9664NI-I16
Part	HVS-DS9664NII8	HVS-DS9632NII16	HVS-DS9664NII16
IP Camera Input	64 ch	32 ch	64 ch
In/Out Bandwidth	320/256 Mbps.	320/256 Mbps.	320/256 Mbps.
Harddisk Support	8 units	16 units	16 units
Network Interface	2 RJ 45 1000M	2 RJ 45 1000M	2 RJ 45 1000M
POE Ports	No POE	No POE	No POE
HDMI Output	2	2	2
Warranty	3 Years	3 Years	3 Years
SRP (In.vat)	108,000.-	112,000.-	166,000.-

**HIKVISION : POE Switch**



Model	POE Switch	POE Switch	POE Switch	POE Switch
Hikvision Part	DS-3E0105P-E	DS-3E0109P-E	HVS-DS3E0318PE	HVS-DS3E0326PE
Part	HVS-DS3E0105PE	HVS-DS3E0109PE	DS-3E0318P-E	DS-3E0326P-E
Ethernet Ports	4 Ports , 100M	8 Ports , 100M	16 Ports , 100M	24 Ports , 100M
Uplink Ports	1 Ports , 100M	1 Ports , 100M	2 Ports , 1000M	2 Ports , 1000M
Warranty	3 Years	3 Years	3 Years	3 Years
SRP (In.vat)	3,100.-	7,700.-	18,490.-	23,540.-

**HIKVISION : Accessories**



Model	Hikvision Keyboard	Hikvision Keyboard	Hikvision CAT5e UTP Cable
Hikvision Part	DS-1005KI	DS-1100KI	DS-1LN5E-S
Part	HVS-DS1005KI	HVS-DS1100KI	HVS-DS1LN5ES
Feature	Network Keyboard, USB interface	Network Keyboard, USB interface, Cameras management, Video Backup	305m Indoor Cable 100±15Ω (1.0-100.0MHz) -20°C - 75°C (-4 °F 167°F)
Warranty	3 Years	3 Years	
SRP (In.vat)	Call	Call	Call

**HIKVISION : Network Video Recorder H.265+**



Model	DS-7600NI-K2/P Series	DS-7600NI-K2/P Series	DS-7700NI-I4 Series
Hikvision Part	DS-7608NI-K2/8P	DS-7616NI-K2/16P	DS-7716NI-I4
Part	HVS-7608NI-K2/8P	HVS-7616NI-K2/16P	HVS-DS7716NI-I4
IP Camera Input	8 ch	16 ch	16 ch
In/Out Bandwidth	80/80 Mbps.	160/160 Mbps.	160/256 Mbps.
Harddisk Support	2 units	2 units	4 units
Network Interface	1 RJ 45 1000M	1 RJ 45 1000M	2 RJ 45 1000M
POE Ports	8 Ports	16 Ports	No POE
HDMI Output	1	1	1
Warranty	3 years	3 years	3 years
SRP (In.vat)	15,710.-	22,310.-	39,470.-

**HIKVISION : Analog Camera**



Model	Bullet Camera	Dome Camera	Dome Camera (Metal)	Bullet EXIR Camera
Hikvision Part	DS-2CE16C0T-IR	DS-2CE56C0T-IR	DS-2CE56C0T-IRM	DS-2CE16C0T-IT3
Part	HVS-CE16C0TIR36 (3.6 mm.) HVS-CE16C0TIR6 (6 mm.) HVS-CE16C0TIR28 (2.8 mm.)	HVS-CE56C0TIR36 (3.6 mm.) HVS-CE56C0TIR6 (6 mm.) HVS-CE56C0TIR28 (2.8 mm.)	HVS-CE56C0TIRM36 (3.6 mm.) HVS-CE56C0TIRM6 (6 mm.) HVS-CE56C0TIRM28 (2.8 mm.)	HVS-CE16C0TIT3036 (3.6 mm.) HVS-CE16C0TIT306 (6 mm.) HVS-CE16C0TIT3028 (2.8 mm.)
Sensor	1MP CMOS Image Sensor	1MP CMOS Image Sensor	1MP CMOS Image Sensor	1MP CMOS Image Sensor
Lens	2.8/3.6/6mm. @ F1.2	2.8/3.6/6mm. @ F1.2	2.8/3.6/6mm. @ F1.2	2.8/3.6/6mm. @ F1.2
Resolution	720P ( 1280 x 720 )	720P ( 1280 x 720 )	720P ( 1280 x 720 )	720P ( 1280 x 720 )
IR (Max)	20 meters	20 meters	20 meters	40 meters
Frame Rate (Max)	720P@25fps/720P@30fps	720P@25fps/720P@30fps	720P@25fps/720P@30fps	720P@25fps/720P@30fps
Power Supply	DC12V ± 10%	DC12V ± 10%	DC12V ± 10%	DC12V ± 10%
Warranty	3 Years	3 Years	3 Years	3 Years
SRP Invat.	1,750.-	1,690.-	1,750.-	2,370.-

**HIKVISION : Analog Camera**



Model	Dome EXIR Camera	Bullet Camera	Dome Camera	Dome Camera (Metal)
Hikvision Part	DS-2CE56C0T-IT3	DS-2CE16D0T-IR	DS-2CE56D0T-IR	DS-2CE56D0T-IRM
Part	HVS-CE56C0TIT3036 (3.6 mm.) HVS-CE56C0TIT306 (6 mm.) HVS-CE56C0TIT3028 (2.8 mm.)	HVS-CE16D0TIR36 (3.6 mm.) HVS-CE16D0TIR6 (6 mm.)	HVS-CE56D0TIR36 (3.6 mm.) HVS-CE56D0TIR6 (6 mm.)	HVS-CE56D0TIRM36 (3.6 mm.) HVS-CE56D0TIRM6 (6 mm.)
Sensor	1MP CMOS Image Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor
Lens	2.8/3.6/6mm. @ F1.2	3.6/6mm. @ F1.2	3.6/6mm. @ F1.2	3.6/6mm. @ F1.2
Resolution	720P ( 1280 x 720 )	1080P ( 1920 x 1080 )	1080P ( 1920 x 1080 )	1080P ( 1920 x 1080 )
IR (Max)	40 meters	20 meters	20 meters	20 meters
Frame Rate (Max)	720P@25fps/720P@30fps	1080P@25fps/1080P@30fps	1080P@25fps/1080P@30fps	1080P@25fps/1080P@30fps
Power Supply	DC12V ± 10%	DC12V ± 10%	DC12V ± 10%	DC12V ± 10%
Warranty	3 Years	3 Years	3 Years	3 Years
SRP Invat.	2,370.-	2,740.-	2,740.-	2,740.-



Model	Bullet EXIR Camera	Bullet EXIR Camera	Bullet Camera	Dome Camera (Metal)
Hikvision Part	DS-2CE16D0T-IT3	DS-2CE56D0T-IT3	DS-2CE16D7T-IT	DS-2CE56D7T-ITM
Part	HVS-CE16D0TIT3036 (3.6 mm.) HVS-CE16D0TIT306 (6 mm.) HVS-CE16D0TIT308 (8 mm.)	HVS-CE56D0TIT3036 (3.6 mm.) HVS-CE56D0TIT306 (6 mm.) HVS-CE56D0TIT308 (8 mm.)	HVS-CE16D7TIT36 (3.6 mm.) HVS-CE16D7TIT6 (6 mm.) HVS-CE16D7TIT28 (2.8 mm.)	HVS-CE56D7TITM36 (3.6 mm.) HVS-CE56D7TITM6 (6 mm.) HVS-CE56D7TITM28 (2.8 mm.)
Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor
Lens	3.6/6/8mm. @ F1.2	3.6/6/8mm. @ F1.2	2.8/3.6/6mm. @ F1.2 True WDR	2.8/3.6/6mm. @ F1.2 True WDR
Resolution	1080P ( 1920 x 1080 )	1080P ( 1920 x 1080 )	1080P ( 1920 x 1080 )	1080P ( 1920 x 1080 )
IR (Max)	40 meters	40 meters	20 meters	20 meters
Frame Rate (Max)	1080P@25fps/1080P@30fps	1080P@25fps/1080P@30fps	1080P@25fps/1080P@30fps	1080P@25fps/1080P@30fps
Power Supply	DC12V ± 10%	DC12V ± 10%	DC12V ± 10%	DC12V ± 10%
Warranty	3 Years	3 Years	3 Years	3 Years
SRP Invat.	3,490.-	3,370.-	3,370.-	3,370.-



Model	Dome Camera (Vandal Proof)	Bullet EXIR Camera	Dome EXIR Camera	Bullet Camera
Hikvision Part	DS-2CE56D7T-VPIT	DS-2CE16D7T-IT3	DS-2CE56D7T-IT3	DS-2CE16F1T-IT
Part	HVS-CE56D7TVPIT36 (3.6 mm.) HVS-CE56D7TVPIT6 (6 mm.)	HVS-CE16D7TIT3036 (3.6 mm.) HVS-CE16D7TIT306 (6 mm.) HVS-CE16D7TIT308 (8 mm.)	HVS-CE56D7TIT3036 (3.6 mm.) HVS-CE56D7TIT306 (6 mm.) HVS-CE56D7TIT308 (8 mm.)	HVS-CE16F1TIT36 (3.6 mm.) HVS-CE16F1TIT6 (6 mm.) HVS-CE16F1TIT28 (2.8 mm.)
Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor	3MP CMOS Image Sensor
Lens	3.6/6mm. @ F1.2 True WDR	3.6/6/8mm. @ F1.2 True WDR	3.6/6/8mm. @ F1.2 True WDR	2.8/3.6/6mm. @ F1.2
Resolution	1080P ( 1920 x 1080 )	1080P ( 1920 x 1080 )	1080P ( 1920 x 1080 )	3 MP ( 2052 x 1536 )
IR (Max)	20 meters	40 meters	40 meters	20 meters
Frame Rate (Max)	1080P@25fps/1080P@30fps	1080P@25fps/1080P@30fps	1080P@25fps/1080P@30fps	1920x1536@18fps
Power Supply	DC12V ± 10%	DC12V ± 10%	DC12V ± 10%	DC12V ± 10%
Warranty	3 Years	3 Years	3 Years	3 Years
SRP Invat.	3,740.-	3,990.-	3,860.-	2,870.-

**HIKVISION : Analog Camera**



Model	Bullet EXIR Camera	Bullet EXIR Camera	Dome EXIR Camera	Bullet EXIR Camera
Hikvision Part	Dome Camera (Metal)	DS-2CE16F1T-IT3	DS-2CE56F1T-IT3	DS-2CE16D7T-IT5
Part	DS-2CE56F1T-ITM HVS-CE56F1TITM6 (6 mm.) HVS-CE56F1TITM28 (2.8 mm.)	HVS-CE16F1TIT3036 (3.6 mm.) HVS-CE16F1TIT306 (6 mm.) HVS-CE16F1TIT308 (8 mm.)	HVS-CE56D7TIT3036 (3.6 mm.) HVS-CE56D7TIT306 (6 mm.) HVS-CE56D7TIT308 (8 mm.)	HVS-2CE16D7TIT5-36 (3.6 mm.)
Sensor	3MP CMOS Image Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor
Lens	2.8/3.6/6mm. @ F1.2	3.6/6/8mm. @ F1.2	3.6/6/8mm. @ F1.2	3.6mm. @ F1.2 True WDR
Resolution	3 MP ( 2052 x 1536 )	3 MP ( 2052 x 1536 )	3 MP ( 2052 x 1536 )	1080P (1920 x 1080)
IR (Max)	20 meters	40 meters	40 meters	80 meters
Frame Rate (Max)	1920x1536@18fps	1920x1536@18fps	1920x1536@18fps	1080p @ 25fps
Power Supply	DC12V ± 10%	DC12V ± 10%	DC12V ± 10%	DC12V ± 15%
Warranty	3 Years	3 Years	3 Years	3 Years
SRP Invat.	2,870.-	3,370.-	3,240.-	4,330.-



Model	Bullet EXIR Camera	Dome EXIR Camera	Dome EXIR Camera	Bullet EXIR Camera
Hikvision Part	DS-2CE16H1T-IT	DS-2CE56H1T-ITM (Metal)	DS-2CE56H1T-IT3	DS-2CE16H1T-IT3
Part	HVS-2CE16H1TIT28 (2.8 mm.) HVS-2CE16H1TIT36 (3.6 mm.) HVS-2CE16H1TIT6 (6 mm.)	HVS-2CE56H1T-ITM28 (2.8 mm.) HVS-2CE56H1T-ITM36 (3.6 mm.) HVS-2CE56H1T-ITM6 (6 mm.)	HVS-CE56H1T-IT3036 (3.6 mm.) HVS-CE56H1T-IT3-6 (6 mm.)	HVS-2CE16H1TIT3-36 (3.6 mm.) HVS-2CE16H1TIT3-6 (6 mm.)
Sensor	5MP CMOS Image Sensor	5MP CMOS Image Sensor	5MP CMOS Image Sensor	5MP CMOS Image Sensor
Lens	2.8mm./3.6mm./6mm. @ F1.2	2.8mm./3.6mm./6mm. @ F1.2	3.6mm./6mm. @ F1.2	3.6mm./6mm. @ F1.2
Resolution	5MP (2592 × 1944)	5MP (2592 × 1944)	5MP (2592 × 1944)	5MP (2592 × 1944)
IR (Max)	20 meters	20 meters	40 meters	40 meters
Frame Rate (Max)	5MP @ 20fps	5MP @ 20fps	5MP @ 20fps	5MP @ 20fps
Power Supply	DC12V ± 30%	DC12V ± 30%	DC12V ± 30%	DC12V ± 30%
Warranty	3 Years	3 Years	3 Years	3 Years
SRP Invat.	3,710.-	3,710.-	4,360.-	4,560.-

**HIKVISION : Special Analog Camera**



Model	Bullet Camera built-in POC	Ultra low-light EXIR Camera	Ultra low-light EXIR Camera	Ultra low-light EXIR Camera
Hikvision Part	DS-2CE16D0T-IR/P	DS-2CE16D8T-ITP (Plastic)	DS-2CE16D8T-IT	DS-2CE16D8T-IT3
Part	HVS-CE16D0T-IRP36 (3.6 mm.)	HVS-2CE16D8T-ITP	HVS-2CE16D8T-IT	HVS-2CE16D8T-IT3
Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor
Lens	3.6mm. @ F1.2	3.6mm. @ F1.2 True WDR	3.6mm. @ F1.2 True WDR	3.6mm. @ F1.2 True WDR
Resolution	1080P (1920 x 1080)	1080P (1920 x 1080)	1080P (1920 x 1080)	1080P (1920 x 1080)
IR (Max)	20 meters	20 meters	20 meters	40 meters
Frame Rate (Max)	1080p @ 25fps	1080p @ 25fps	1080p @ 25fps	1080p @ 25fps
Power Supply	DC12V ± 15%, Built-in POC	DC12V ± 25%	DC12V ± 25%	DC12V ± 25%
Warranty	3 Years	3 Years	3 Years	3 Years
SRP Invat.	2,060.-	2,920.-	3,310.-	3,840.-



**HIKVISION : Special Analog Camera**



Model	Ultra low-light built-in POC	Ultra low-light built-in POC	Ultra low-light built-in POC	Ultra low-light built-in POC
Hikvision Part	DS-2CE16D8T-ITE	DS-2CE16D8T-IT3E	DS-2CC52D9T-IT3E	DS-2CC12D9T-IT3E
Part	HVS-2CE16D8T-ITE	HVS-2CE16D8T-IT3E	HVS-CC52D9T-IT3E36	HVS-CC12D9T-IT3E36
Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor
Lens	3.6mm. @ F1.2 True WDR	3.6mm. @ F1.2 True WDR	3.6mm. @ F1.2 True WDR	3.6mm. @ F1.2 True WDR
Resolution	1080P (1920 x 1080)	1080P (1920 x 1080)	1080P (1920 x 1080)	1080P (1920 x 1080)
IR (Max)	20 meters	40 meters	40 meters	40 meters
Frame Rate (Max)	1080p @ 25fps	1080p @ 25fps	1080p @ 25fps	1080p @ 25fps
Power Supply	DC12V ± 25%, Built-in POC	DC12V ± 25%, Built-in POC	DC12V ± 30%, Built-in POC	DC12V ± 30%, Built-in POC
Warranty	3 Years	3 Years	3 Years	3 Years
SRP Invat.	3,440.-	3,960.-	8,460.-	8,590.-



Model	White light Bullet Camera	White light Bullet Camera	Vari-focal EXIR Camera	Vari-focal EXIR Camera
Hikvision Part	DS-2CE16D0T-WL3	DS-2CE16D0T-WL5	DS-2CE16D7T-IT3Z (Motorized)	DS-2CE16H1T-IT3Z (Motorized)
Part	HVS-CE16D0T-WL3-36 (3.6 mm.) HVS-CE16D0T-WL3-6 (6 mm.)	HVS-CE16D0T-WL5-36 (3.6 mm.) HVS-CE16D0T-WL5-6 (6 mm.)	HVS-2CE16D7T-IT3Z	HVS-2CE16H1T-IT3Z
Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor	2MP CMOS Image Sensor	5MP CMOS Image Sensor
Lens	3.6mm./6mm. @ F1.2	3.6mm./6mm. @ F1.2	2.8-12mm. @ F1.2 True WDR	2.8-12mm. @ F1.2
Resolution	1080P (1920 x 1080)	1080P (1920 x 1080)	1080P (1920 x 1080)	5MP (2592 x 1944)
IR (Max)	White light 30 meters	White light 50 meters	40 meters	40 meters
Frame Rate (Max)	1080p @ 25fps	1080p @ 25fps	1080p @ 25fps	5MP @ 20fps
Power Supply	DC12V ± 10%	DC12V ± 10%	DC12V ± 15%	DC12V ± 20%
Warranty	3 Years	3 Years	3 Years	3 Years
SRP Invat.	3,440.-	3,710.-	6,370.-	7,460.-



Model	Fish Eye IR Camera	Pan/Tilt/Zoom (Speed Dome)	Pan/Tilt/Zoom (Speed Dome)	Pan/Tilt/Zoom (Speed Dome)
Hikvision Part	DS-2CC52H1T-FITS	DS-2AE4023I-D	DS-2AE4223TI-D	DS-2AE7230TI-A
Part	HVS-2CC52H1T-FITS	HVS-DS-2AE4023I-D	HVS-2AE4223TI-D	HVS-2AE7230TI-A
Sensor	5MP CMOS Image Sensor	1/3" CCD Image Sensor	1/2.8" CMOS Image Sensor	1/3" CMOS Image Sensor
Lens	1.1mm. @ F1.2	4-92mm. @ F1.6-3.7 (Zoom 23X)	4-92mm. @ F1.4-3.5 (Zoom 23X)	4-120mm. @ F1.6-4.4 (Zoom 30X)
Resolution	5MP (2592 x 1944)	700TVL	1080P (1920 x 1080)	1080P (1920 x 1080)
IR (Max)	20 meters	100 meters	100 meters	120 meters
Frame Rate (Max)	5MP @ 12fps	n/a	n/a	1080P @ 25fps
Power Supply	DC12V ± 15%	DC12V	DC12V	AC24V
Warranty	3 Years	3 Years	3 Years	3 Years
SRP Invat.	11,490	13,910	35,520	59,260

**HIKVISION : Digital Video Recorder**



Model	DS-7100 series H.264+	DS-7100 series H.264+	DS-7100 series H.264+	DS-7200 Series H.264+
Hikvision Part	DS-7104HGHI-F1	DS-7108HGHI-F1	DS-7116HGHI-F1	DS-7204HGHI-F1
Part	HVS-7104HGHI-F1	HVS-7108HGHI-F1	HVS-7116HGHI-F1	HVS-DS-7204HGHI-F1
TVI Camera Input	4 ch	8 ch	16 ch	4 ch
Camera Support	720P	720P	720P	720P
Harddisk Support	1 unit (Up to 6TB per HDD)	1 unit (Up to 6TB per HDD)	1 unit (Up to 6TB per HDD)	1 unit (Up to 6TB per HDD)
Network Interface	1 RJ 45 10/100M	1 RJ 45 10/100M	1 RJ 45 10/100M	1 RJ 45 10/100M
HDMI Output	1 ch	1 ch	1 ch	1 ch
Warranty	3 years	3 years	3 years	3 Years
SRP Invat.	3,740.-	5,850.-	9,340.-	3,960



Model	DS-7200 Series H.264+	DS-7200 Series H.264+	DS-7300 Series H.264	DS-7300 Series H.264
Hikvision Part	DS-7208HGHI-F1	DS-7216HGHI-F1	DS-7324HGHI-SH	DS-7332HGHI-SH
Part	HVS-DS-7208HGHI-F1	HVS-DS-7216HGHI-F1	HVS-7324HGHI-SH	HVS-7332HGHI-SH
TVI Camera Input	8 ch	16 ch	24 ch	32 ch
Camera Support	720P	720P	720P,1080P	720P,1080P
Harddisk Support	1 unit (Up to 6TB per HDD)	1 unit (Up to 6TB per HDD)	4 units (Up to 6TB per HDD)	4 units (Up to 6TB per HDD)
Network Interface	1 RJ 45 10/100M	1 RJ 45 10/100M	1 RJ 45 10/100/1000M	1 RJ 45 10/100/1000M
HDMI Output	1 ch	1 ch	1 ch	1 ch
Warranty	3 Years	3 Years	3 Years	3 Years
SRP Invat.	6,240	9,610	43,080	51,000



Model	DS-7200 Series H.264+	DS-7100 series H.264+	DS-7100 series H.264+	DS-7100 series H.264+
Hikvision Part	DS-7216HUHI-F2/S	DS-7104HQHI-F1/N	DS-7108HQHI-F1/N	DS-7116HQHI-F1/N
Part	HVS-7216HUHI-F2S	HVS-7104HQHIF1N	HVS-7108HQHIF1N	HVS-7116HQHIF1N
TVI Camera Input	16 ch	4 ch	8 ch	16 ch
Camera Support	720P,1080P,3MP,5MP	720P,1080P	720P,1080P	720P,1080P
Harddisk Support	2 unit (Up to 6TB per HDD)	1 unit (Up to 6TB per HDD)	1 unit (Up to 6TB per HDD)	1 unit (Up to 6TB per HDD)
Network Interface	1 RJ 45 10/100/1000M	1 RJ 45 10/100M	1 RJ 45 10/100M	1 RJ 45 10/100M
HDMI Output	1 ch	1 ch	1 ch	1 ch
Warranty	3 Years	3 years	3 years	3 years
SRP Invat.	27,190	3,740.-	5,850.-	9,340.-

**HIKVISION : Digital Video Recorder**



Model	DS-7200 series H.264+	DS-7200 series H.264+	DS-7200 series H.264+	DS-7200 series H.264+
Hikvision Part	DS-7204HQHI-F1/N	DS-7208HQHI-F1/N	DS-7216HQHI-F1/N	DS-7208HQHI-F2/N
Part	HVS-7104HQHIF1N	HVS-7208HQHIF1N	HVS-7216HQHIF1N	HVS-7208HQHIF2N
TVI Camera Input	4 ch	8 ch	16 ch	8 ch
Camera Support	720P,1080P	720P,1080P	720P,1080P	720P,1080P
Harddisk Support	1 unit (Up to 6TB per HDD)	1 unit (Up to 6TB per HDD)	1 unit (Up to 6TB per HDD)	2 unit (Up to 6TB per HDD)
Network Interface	1 RJ 45 10/100M	1 RJ 45 10/100M	1 RJ 45 10/100M	1 RJ 45 10/100M
HDMI Output	1 ch	1 ch	1 ch	1 ch
Warranty	3 years	3 years	3 years	3 years
SRP Invat.	5,850.-	8,840.-	14,940.-	10,210.-



Model	DS-7200 series H.264+	DS-7200 series H.264+	DS-7200 series H.264+	DS-7200 series H.264+
Hikvision Part	DS-7216HQHI-F2/N	DS-7204HUHI-F1/N	DS-7208HUHI-F1/N	DS-7204HUHI-F2/N
Part	HVS-7216HQHIF2N	HVS-7204HUHIF1N	HVS-7208HUHIF1N	HVS-7204HUHIF2N
TVI Camera Input	16 ch	4 ch	8 ch	4 ch
Camera Support	720P,1080P	720P,1080P,3MP	720P,1080P,3MP	720P,1080P,3MP
Harddisk Support	2 unit (Up to 6TB per HDD)	1 unit (Up to 6TB per HDD)	1 unit (Up to 6TB per HDD)	2 unit (Up to 6TB per HDD)
Network Interface	1 RJ 45 10/100/1000M	1 RJ 45 10/100M	1 RJ 45 10/100/1000M	1 RJ 45 10/100M
HDMI Output	1 ch	1 ch	1 ch	1 ch
Warranty	3 years	3 years	3 years	3 years
SRP Invat.	17,180.-	8,590.-	13,450.-	8,590.-



Model	DS-7200 series H.264+	DS-7200 series H.264+
Hikvision Part	DS-7208HUHI-F2/N	DS-7216HUHI-F2/N
Part	HVS-7208HUHIF2N	HVS-7216HUHIF2N
TVI Camera Input	8 ch	16 ch
Camera Support	720P,1080P,3MP	720P,1080P,3MP
Harddisk Support	2 unit (Up to 6TB per HDD)	2 unit (Up to 6TB per HDD)
Network Interface	1 RJ 45 10/100/1000M	1 RJ 45 10/100/1000M
HDMI Output	1 ch	1 ch
Warranty	3 years	3 years
SRP Invat.	14,400.-	27,260.-

**HIKVISION : Digital Video Recorder H.265+**



Model	DS-7200 Series H.265+	DS-7200 Series H.265+	DS-7200 Series H.265+	DS-7200 Series H.265+
Hikvision Part	DS-7204HQHI-K1	DS-7208HQHI-K1	DS-7216HQHI-K1	DS-7208HQHI-K2
Part	HVS-7204HQHI-K1	HVS-7208HQHI-K1	HVS-7216HQHI-K1	HVS-7208HQHI-K2
TVI Camera Input	4 ch	8 ch	16 ch	8 ch
Camera Support	720P,1080P	720P,1080P	720P,1080P	720P,1080P
Harddisk Support	1 unit (Up to 6TB per HDD)	1 unit (Up to 6TB per HDD)	1 unit (Up to 6TB per HDD)	2 units (Up to 6TB per HDD)
Network Interface	1 RJ 45 10/100M	1 RJ 45 10/100M	1 RJ 45 10/100/1000M	1 RJ 45 10/100M
HDMI Output	1 ch	1 ch	1 ch	1 ch
Warranty	3 Years	3 Years	3 Years	3 Years
SRP Invat.	5,940	8,980	15,190	10,440




Model	DS-7200 Series H.265+	DS-7200 Series H.265+	DS-7200 Series H.265+	DS-7200 Series H.265+
Hikvision Part	DS-7216HQHI-K2	DS-7204HQHIK1P (Built-in POC)	DS-7208HQHIK2P (Built-in POC)	DS-7204HUHI-K1
Part	HVS-7216HQHI-K2	HVS-7204HQHI-K1P	HVS-7208HQHI-K2P	HVS-7204HUHI-K1
TVI Camera Input	16 ch	4 ch	8 ch	4 ch
Camera Support	720P,1080P	720P,1080P	720P,1080P	720P,1080P,3MP,5MP
Harddisk Support	2 units (Up to 6TB per HDD)	1 unit (Up to 6TB per HDD)	2 units (Up to 6TB per HDD)	1 unit (Up to 6TB per HDD)
Network Interface	1 RJ 45 10/100/1000M	1 RJ 45 10/100M	1 RJ 45 10/100M	1 RJ 45 10/100M
HDMI Output	1 ch	1 ch	1 ch	1 ch
Warranty	3 Years	3 Years	3 Years	3 Years
SRP Invat.	17,420	8,710	15,050	9,110



Model	DS-7200 Series H.265+	DS-7200 Series H.265+	DS-7200 Series H.265+	DS-7200 Series H.265+
Hikvision Part	DS-7208HUHI-K1	DS-7204HUHI-K2	DS-7208HUHI-K2	DS-7216HUHI-K2
Part	HVS-7208HUHI-K1	HVS-7204HUHI-K2	HVS-7208HUHI-K2	HVS-7216HUHI-K2
TVI Camera Input	8 ch	4 ch	8 ch	16 ch
Camera Support	720P,1080P,3MP,5MP	720P,1080P,3MP,5MP	720P,1080P,3MP,5MP	720P,1080P,3MP,5MP
Harddisk Support	1 unit (Up to 6TB per HDD)	2 units (Up to 6TB per HDD)	2 units (Up to 6TB per HDD)	2 units (Up to 6TB per HDD)
Network Interface	1 RJ 45 10/100/1000M	1 RJ 45 10/100M	1 RJ 45 10/100/1000M	1 RJ 45 10/100/1000M
HDMI Output	1 ch	1 ch	1 ch	1 ch
Warranty	3 Years	3 Years	3 Years	3 Years
SRP Invat.	14,260	10,040	15,320	28,910

**MIRASYS**



**STANDARD SOFTWARE & SERVICE PRODUCTS**

Vendor P/N	SiS P/N	Description	Licensing	SRP (Inc.VAT)
<b>Mirasys Pro (1 recorder, MAX. 50 Channels, 5 concurrent users)</b>				
Mirasys Pro	MRS-PRO	Mirasys Pro License	1 CH	5,350
<b>Mirasys Enterprise (5 recorders, MAX. 128 Channels per recorder, 10 concurrent users)</b>				
Mirasys Enterprise	MRS-ENT	Mirasys Enterprise License	1 CH	10,700
<b>Master Server</b>				
Master Server Base	MRS-MASTER-SERV	Master Server Base 20 recorders, 20 concurrent users, AD integration	1 PC/Server	112,350
Master Server Extension	MRS-MS-SERV-EXT	Master Server Extension 10 additional recorders	1 PC/Server	48,150
Master User Extension	MRS-MS-USER-EXT	Master User Extension 10 additional concurrent users	1 PC/Server	48,150
<b>Upgrade license</b>				
Pro-to-Enterprise Campaign Pro V.6 -> V.7	MRS-UP-PRO-TO-ENT	Upgrade License Pro-to-Enterprise	1 CH	5,618
Campaign Ent V.6 -> V.7	MRS-PRO-V6-TO-V7	Upgrade License Pro V6-to-V7	1 CH	1,873
	MRS-ENT-V6-TO-V7	Upgrade License Ent V6-to-V7	1 CH	3,478
<b>Video Wall</b>				
AVM Display Server Lead-time 7 days	MRS-AVM-DISP	AVM Display Server	1 PC/Server	192,600
AVM Operator Console	MRS-AVM-OP-CONS	AVM Operator Console	1 PC/Server	155,150
<b>Gateway</b>				
Gateway Server 16 channels	MRS-GATEWAY-16CH	Gateway Server 16 simultaneous real-time streams	1 PC/Server	FREE
Gateway Server 64 channels	MRS-GATEWAY-64CH	Gateway Server 64 simultaneous real-time streams	1 PC/Server	40,125
<b>Installation &amp; Setup</b>				
Installation & Setup	MRS-PS-1DAY-BKK	Per day, in Bangkok Metropolitan area	1 Day	16,050
VCA calibration	MRS-PS-1CH-BKK	Per channel, in Bangkok Metropolitan area	1 CH	5,350

**Remark : Lead-time 7 days**  
**Software warranty 1 year by Mirasys Thailand**



**QNAP : NVR (Network Video Recorder)**

NVR (Network Video Recorder) ไร้ต่อกับกล้อง IP Camera เพื่อใช้บันทึกภาพจากกล้องวงจรปิด โดยจะมี Software มาให้พร้อม

\*สินค้าทุกรุ่นไม่รวม Harddisk **Warranty 2 Year**



**QNP-VS-2004Pro-US**

CPU: Dual-core Intel® Atom™ processor  
Support Max 2HD 4TB, HDD Hot-Swap: Yes  
IP Camera Support: 1-4  
RAID: Single/0/1/JBOD/ Linear



SRP 34,990 (Inc.vat)

**QNP-VS-8124 Pro+**

CPU: Intel® Core i3-2120 processor  
RAM: 2GB DDR3 , 512MB flash (DOM)  
Support Max 8HD 16TB, HDD Hot-Swap: Yes  
IP Camera Support: 1-24  
RAID: 0/1/5/6/5+Spare/6+Spare/JBOD/Linear/Single  
SRP 151,190 (Inc.vat)



**QNP-VS-2012 Pro-US**

CPU: Dual-core Intel® Atom™ processor  
Support Max 2HD 4TB, HDD Hot-Swap: Yes  
IP Camera Support: 1-12  
RAID: Single/0/1/JBOD/ Linear



SRP 50,610 (Inc.vat)

**QNP-VS-8132 Pro+**

CPU: Intel® Core i3-2120 processor  
RAM: 2GB DDR3 , 512MB flash (DOM)  
Support Max 8HD 16TB, HDD Hot-Swap: Yes  
IP Camera Support: 1-32  
RAID: 0/1/5/6/5+Spare/6+Spare/JBOD/Linear/Single  
SRP 166,810 (Inc.vat)



**QNP-VS-4012Pro-US**

CPU: Dual-core Intel® Atom™ processor  
Support Max 4HD 8TB,  
HDD Hot-Swap: Yes  
IP Camera Support: 1-12  
RAID: 0/1/5/6/5+Spare/JBOD/Linear/Single



SRP 69,870 (Inc.vat)

**QNP-VS-8140 Pro+**

CPU: Intel® Core i3-2120 processor  
RAM: 2GB DDR3 , 512MB flash (DOM)  
Support Max 8HD 16TB, HDD Hot-Swap: Yes  
IP Camera Support: 1-40  
RAID: 0/1/5/6/5+Spare/6+Spare/JBOD/Linear/Single  
SRP 182,220 (Inc.vat)



**QNP-VS-4016Pro**

CPU: Dual-core Intel® Atom™ processor  
Support Max 4HD 12TB,  
HDD Hot-Swap: Yes  
IP Camera Support: 1-16  
RAID: 0/1/5/6/5+Spare/6+Spare/JBOD/  
Linear/Single  
SRP 77,680 (Inc.vat)



**QNP-VS-8148 Pro+**

CPU: Intel® Core i3-2120 processor  
RAM: 2GB DDR3 , 512MB flash (DOM)  
Support Max 8HD 16TB, HDD Hot-Swap: Yes  
IP Camera Support: 1-48  
RAID: 0/1/5/6/5+Spare/6+Spare/JBOD/Linear/Single  
SRP 197,630 (Inc.vat)



**QNP-VS-4008U-RP Pro**

CPU: Dual-core Intel® Atom™ processor  
Support Max 4HD 12TB, HDD Hot-Swap: Yes  
IP Camera Support: 1-8  
RAID: 0/1/5/6/5+Spare/6+Spare/  
JBOD/Linear/Single  
SRP 77,580 (Inc.vat)



**QNP-VS-8124U-RP Pro**

CPU: Intel® Core i3-2120 Processor 3.3 GHz  
512MB flash (DOM)  
Support Max 8HD 16TB, HDD Hot-Swap: Yes  
IP Camera Support: 1-24  
Local Display : VGA port @ full HD 1080P  
LAN Port : 2 x Gigabit RJ-45 Ethernet port  
RAID: 0/1/5/6/5+Spare/6+Spare/JBOD/Linear/Single online RAID  
SRP 174,520 (Inc.vat)



**QNP-VS-4012U-RP Pro**

CPU: Dual-core Intel® Atom™ processor  
Support Max 4HD 12TB,  
HDD Hot-Swap: Yes  
IP Camera Support: 1-12  
RAID: 0/1/5/6/5+Spare/6+Spare/JBOD/Linear/Single  
SRP 85,390 (Inc.vat)



**QNP-VS-8132U-RP Pro**

CPU: Intel® Core i3-2120 Processor 3.3 GHz  
512MB flash (DOM)  
Support Max 8HD 16TB, HDD Hot-Swap: Yes  
IP Camera Support: 1-32  
Local Display : VGA port @ full HD 1080P  
LAN Port : 2 x Gigabit RJ-45 Ethernet port  
RAID: 0/1/5/6/5+Spare/6+Spare/JBOD/Linear/Single online RAID  
SRP 189,930 (Inc.vat)



**QNP-VS-4016U-RP Pro**

CPU: Dual-core Intel® Atom™ processor  
Support Max 4HD 12TB, HDD Hot-Swap: Yes  
IP Camera Support: 1-16  
RAID: 0/1/5/6/5+Spare/6+Spare/JBOD/Linear/Single  
SRP 93,090 (Inc.vat)



**QNP-VS-8140U-RP Pro**

CPU: Intel® Core i3-2120 Processor 3.3 GHz  
512MB flash (DOM)  
Support Max 8HD 16TB, HDD Hot-Swap: Yes  
IP Camera Support: 1-40  
Local Display : VGA port @ full HD 1080P  
LAN Port : 2 x Gigabit RJ-45 Ethernet port  
RAID: 0/1/5/6/5+Spare/6+Spare/JBOD/Linear/Single online RAID  
SRP 205,440 (Inc.vat)



**QNP-VS-6020Pro-US**

CPU: Dual-core Intel® Atom™ processor  
Support Max 6HD 12TB,  
HDD Hot-Swap: Yes  
IP Camera Support: 1-20  
RAID: 0/1/5/6/5+Spare/6+Spare/JBOD/Linear/Single  
SRP 100,900 (Inc.vat)



**QNP-VS-8148U-RP Pro**

CPU: Intel® Core i3-2120 Processor 3.3 GHz  
512MB flash (DOM)  
Support Max 8HD 16TB, HDD Hot-Swap: Yes  
IP Camera Support: 1-48  
Local Display : VGA port @ full HD 1080P  
LAN Port : 2 x Gigabit RJ-45 Ethernet port  
RAID: 0/1/5/6/5+Spare/6+Spare/JBOD/Linear/Single online RAID  
SRP 220,960 (Inc.vat)

